

Lenyk IL

SURFACED MOUNTED & SUSPENDED | ECO-DALI EM SERIES

Lenyk IL is a flexible luminaire suitable to fulfill a wide range of lighting tasks in the industrial or retail sectors. With various luminous flux packages and optics. Lenyk IL has LED modules encased in individual lenses, placed within a sleek and modern aluminum housing that merges with all the industrial environments. The individual lenses ensure that the beam can be precisely targeted towards the desired objects, irrespective of the mounting height. This features brings the benefit of little-wasted light, and thus, of lower energy usage.

Lenyk IL has several series, determined by various add-on and control:


- Lenyk IL TEC: the standard for industrial, DIY and retail spaces
- Lenyk IL ECO-DALI: with DALI dimming
- Lenyk IL TEC EM: with emergency lighting kit
- **Lenyk IL ECO-DALI EM: with dimming and emergency kit**

FEATURES & BENEFITS

- CRI \geq 80 as standard
- 4 color temperatures: 3000K, 4000K, 5000K, 6500K
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171 lm/w @4000K
- Wide range of lens angles: WB (Wide Beam - 90°), NB (Narrow Beam - 60°), TB (Tight Beam - 30°), DA (Double Asymmetric)

APPLICATION

Grocery & Supermarket | Retail | DIY




SPECIFICATIONS

| | | |
|--------------------------------|--------------------------|--------------------------|
| Power consumption | 20W, 34W, 41W, 49W | 25W, 33W, 42W, 51W, 60W |
| Dimensions | 1201 x 56.5 x 59.9 ± 1mm | 1498 x 56.5 x 59.9 ± 1mm |
| Weight | 3.0 - 3.1Kg | 3.4 - 3.5kg |
| Housing materials | Aluminum & Polycarbonate | |
| IK code | IK04 | |
| THD (at 230V, 50Hz, Full load) | <9% | |
| Protection class | Safety class 1 | |
| Operating temperature [°C] | +5C...+45C/+41F...+113F | |
| Operating humidity [%] | 10 ÷ 85 | |
| Power factor | ≥0.95 | |
| AC Input [Vac] | 220 - 240 VAC | |
| Lens angle [°] | 30°, 60°, 90°, DA | |
| Lifespan [h] | 50,000 | |
| Housing color | ● Anodised grey | |
| Lumen maintenance | L90/B10@50.000h at 25°C | |
| IP factor | IP20 | |
| Control optional | ECO-DALI | |
| Warranty [years] | 5 | |
| Storage temperature range [°C] | +5...+25°C / +41F...+77F | |
| Emergency option | EM1H , EM3H | |

| | |
|-------------------|-------------------------|
| Light application | Standard |
| CRI | CRI 80 |
| CCT [K] | 3000K/4000K/5000K/6500K |
| MacAdam | 4 |

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



RISK GROUP**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for TEC | -/+ 10% for TEC & KIT EM | -/+ 10% for ECO-DALI | -/+ 15% for ECO-DALI & KIT EM

BATTERY WARRANTY

TEC EM & ECO EM: 12 months warranty

TEC & ECO: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

| Power | Driver type | Control type | Circuit Breaker Type | | | | | | |
|-------|-------------|--------------|----------------------|----|----|----|----|----|----|
| | | | Amperage | B | | | C | | |
| | | | | 20 | 16 | 10 | 20 | 16 | 10 |
| < 50W | | TEC | | 37 | 30 | 18 | 62 | 51 | 31 |
| ≥ 50W | | TEC | | 37 | 30 | 18 | 62 | 51 | 31 |
| < 80W | | ECO | | 27 | 21 | 13 | 45 | 35 | 21 |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216512 Lenyk IL 120/3000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3280 | 20W | 164 | 30° |
| 216513 Lenyk IL 120/4000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3420 | 20W | 171 | 30° |
| 216514 Lenyk IL 120/5000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3510 | 20W | 176 | 30° |
| 216515 Lenyk IL 120/6500/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3420 | 20W | 171 | 30° |
| 216516 Lenyk IL 120/3000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | 60° |
| 216517 Lenyk IL 120/4000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | 60° |
| 216518 Lenyk IL 120/5000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | 60° |
| 216519 Lenyk IL 120/6500/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | 60° |
| 216520 Lenyk IL 120/3000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3270 | 20W | 164 | 90° |
| 216521 Lenyk IL 120/4000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3410 | 20W | 171 | 90° |
| 216522 Lenyk IL 120/5000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3500 | 20W | 175 | 90° |
| 216523 Lenyk IL 120/6500/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3410 | 20W | 171 | 90° |
| 216524 Lenyk IL 120/3000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | DA |
| 216525 Lenyk IL 120/4000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | DA |
| 216526 Lenyk IL 120/5000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | DA |
| 216527 Lenyk IL 120/6500/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | DA |
| 216528 Lenyk IL 120/3000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5190 | 34W | 153 | 30° |
| 216529 Lenyk IL 120/4000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5410 | 34W | 160 | 30° |
| 216530 Lenyk IL 120/5000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5555 | 34W | 164 | 30° |
| 216531 Lenyk IL 120/6500/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5410 | 34W | 160 | 30° |
| 216532 Lenyk IL 120/3000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | 60° |
| 216533 Lenyk IL 120/4000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | 60° |
| 216534 Lenyk IL 120/5000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | 60° |
| 216535 Lenyk IL 120/6500/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | 60° |
| 216536 Lenyk IL 120/3000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5175 | 34W | 153 | 90° |
| 216537 Lenyk IL 120/4000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5395 | 34W | 159 | 90° |
| 216538 Lenyk IL 120/5000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5540 | 34W | 163 | 90° |
| 216539 Lenyk IL 120/6500/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5395 | 34W | 159 | 90° |
| 216540 Lenyk IL 120/3000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | DA |
| 216541 Lenyk IL 120/4000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | DA |
| 216542 Lenyk IL 120/5000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | DA |
| 216543 Lenyk IL 120/6500/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | DA |
| 216544 Lenyk IL 120/3000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6080 | 41W | 149 | 30° |
| 216545 Lenyk IL 120/4000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6335 | 41W | 155 | 30° |
| 216546 Lenyk IL 120/5000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6510 | 41W | 159 | 30° |
| 216547 Lenyk IL 120/6500/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6335 | 41W | 155 | 30° |
| 216548 Lenyk IL 120/3000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | 60° |
| 216549 Lenyk IL 120/4000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | 60° |
| 216550 Lenyk IL 120/5000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | 60° |
| 216551 Lenyk IL 120/6500/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | 60° |
| 216552 Lenyk IL 120/3000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6065 | 41W | 148 | 90° |
| 216553 Lenyk IL 120/4000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6320 | 41W | 155 | 90° |
| 216554 Lenyk IL 120/5000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6490 | 41W | 159 | 90° |
| 216555 Lenyk IL 120/6500/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6320 | 41W | 155 | 90° |
| 216556 Lenyk IL 120/3000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | DA |
| 216557 Lenyk IL 120/4000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | DA |
| 216558 Lenyk IL 120/5000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | DA |
| 216559 Lenyk IL 120/6500/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | DA |
| 216560 Lenyk IL 120/3000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7885 | 49W | 161 | 30° |
| 216561 Lenyk IL 120/4000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8220 | 49W | 168 | 30° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216562 Lenyk IL 120/5000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8445 | 49W | 173 | 30° |
| 216563 Lenyk IL 120/6500/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8220 | 49W | 168 | 30° |
| 216564 Lenyk IL 120/3000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | 60° |
| 216565 Lenyk IL 120/4000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | 60° |
| 216566 Lenyk IL 120/5000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | 60° |
| 216567 Lenyk IL 120/6500/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | 60° |
| 216568 Lenyk IL 120/3000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7865 | 49W | 161 | 90° |
| 216569 Lenyk IL 120/4000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8200 | 49W | 168 | 90° |
| 216570 Lenyk IL 120/5000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8420 | 49W | 172 | 90° |
| 216571 Lenyk IL 120/6500/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8200 | 49W | 168 | 90° |
| 216572 Lenyk IL 120/3000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | DA |
| 216573 Lenyk IL 120/4000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | DA |
| 216574 Lenyk IL 120/5000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | DA |
| 216575 Lenyk IL 120/6500/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | DA |
| 216576 Lenyk IL 150/3000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3990 | 25W | 160 | 30° |
| 216577 Lenyk IL 150/4000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4160 | 25W | 167 | 30° |
| 216578 Lenyk IL 150/5000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4275 | 25W | 171 | 30° |
| 216579 Lenyk IL 150/6500/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4160 | 25W | 167 | 30° |
| 216580 Lenyk IL 150/3000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | 60° |
| 216581 Lenyk IL 150/4000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | 60° |
| 216582 Lenyk IL 150/5000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | 60° |
| 216583 Lenyk IL 150/6500/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | 60° |
| 216584 Lenyk IL 150/3000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3980 | 25W | 160 | 90° |
| 216585 Lenyk IL 150/4000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4150 | 25W | 166 | 90° |
| 216586 Lenyk IL 150/5000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4260 | 25W | 171 | 90° |
| 216587 Lenyk IL 150/6500/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4150 | 25W | 166 | 90° |
| 216588 Lenyk IL 150/3000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | DA |
| 216589 Lenyk IL 150/4000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | DA |
| 216590 Lenyk IL 150/5000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | DA |
| 216591 Lenyk IL 150/6500/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | DA |
| 216592 Lenyk IL 150/3000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 5045 | 33W | 153 | 30° |
| 216593 Lenyk IL 150/4000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5260 | 33W | 160 | 30° |
| 216594 Lenyk IL 150/5000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5400 | 33W | 164 | 30° |
| 216595 Lenyk IL 150/6500/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5260 | 33W | 160 | 30° |
| 216596 Lenyk IL 150/3000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | 60° |
| 216597 Lenyk IL 150/4000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | 60° |
| 216598 Lenyk IL 150/5000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | 60° |
| 216599 Lenyk IL 150/6500/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | 60° |
| 216600 Lenyk IL 150/3000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4985 | 33W | 152 | 90° |
| 216601 Lenyk IL 150/4000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5195 | 33W | 158 | 90° |
| 216602 Lenyk IL 150/5000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5340 | 33W | 162 | 90° |
| 216603 Lenyk IL 150/6500/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5195 | 33W | 158 | 90° |
| 216604 Lenyk IL 150/3000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | DA |
| 216605 Lenyk IL 150/4000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | DA |
| 216606 Lenyk IL 150/5000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | DA |
| 216607 Lenyk IL 150/6500/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | DA |
| 216608 Lenyk IL 150/3000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6445 | 42W | 154 | 30° |
| 216609 Lenyk IL 150/4000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6720 | 42W | 160 | 30° |
| 216610 Lenyk IL 150/5000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6900 | 42W | 165 | 30° |
| 216611 Lenyk IL 150/6500/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6720 | 42W | 160 | 30° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216612 Lenyk IL 150/3000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | 60° |
| 216613 Lenyk IL 150/4000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | 60° |
| 216614 Lenyk IL 150/5000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | 60° |
| 216615 Lenyk IL 150/6500/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | 60° |
| 216616 Lenyk IL 150/3000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6370 | 42W | 152 | 90° |
| 216617 Lenyk IL 150/4000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6640 | 42W | 159 | 90° |
| 216618 Lenyk IL 150/5000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6820 | 42W | 163 | 90° |
| 216619 Lenyk IL 150/6500/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6640 | 42W | 159 | 90° |
| 216620 Lenyk IL 150/3000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | DA |
| 216621 Lenyk IL 150/4000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | DA |
| 216622 Lenyk IL 150/5000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | DA |
| 216623 Lenyk IL 150/6500/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | DA |
| 216624 Lenyk IL 150/3000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7495 | 51W | 147 | 30° |
| 216625 Lenyk IL 150/4000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7810 | 51W | 154 | 30° |
| 216626 Lenyk IL 150/5000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 8020 | 51W | 158 | 30° |
| 216627 Lenyk IL 150/6500/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7810 | 51W | 154 | 30° |
| 216628 Lenyk IL 150/3000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 145 | 60° |
| 216629 Lenyk IL 150/4000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 151 | 60° |
| 216630 Lenyk IL 150/5000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 155 | 60° |
| 216631 Lenyk IL 150/6500/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 151 | 60° |
| 216632 Lenyk IL 150/3000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7405 | 51W | 146 | 90° |
| 216633 Lenyk IL 150/4000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7720 | 51W | 152 | 90° |
| 216634 Lenyk IL 150/5000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7930 | 51W | 156 | 90° |
| 216635 Lenyk IL 150/6500/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7720 | 51W | 152 | 90° |
| 216636 Lenyk IL 150/3000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 139 | DA |
| 216637 Lenyk IL 150/4000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 144 | DA |
| 216638 Lenyk IL 150/5000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 148 | DA |
| 216639 Lenyk IL 150/6500/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 144 | DA |
| 216640 Lenyk IL 150/3000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8790 | 60W | 147 | 30° |
| 216641 Lenyk IL 150/4000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9160 | 60W | 153 | 30° |
| 216642 Lenyk IL 150/5000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9410 | 60W | 157 | 30° |
| 216643 Lenyk IL 150/6500/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9160 | 60W | 153 | 30° |
| 216644 Lenyk IL 150/3000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | 60° |
| 216645 Lenyk IL 150/4000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | 60° |
| 216646 Lenyk IL 150/5000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | 60° |
| 216647 Lenyk IL 150/6500/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | 60° |
| 216648 Lenyk IL 150/3000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8765 | 60W | 147 | 90° |
| 216649 Lenyk IL 150/4000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9135 | 60W | 153 | 90° |
| 216650 Lenyk IL 150/5000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9385 | 60W | 157 | 90° |
| 216651 Lenyk IL 150/6500/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9135 | 60W | 153 | 90° |
| 216652 Lenyk IL 150/3000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | DA |
| 216653 Lenyk IL 150/4000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | DA |
| 216654 Lenyk IL 150/5000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | DA |
| 216655 Lenyk IL 150/6500/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | DA |
| 261512 Lenyk IL/S 120/3000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3280 | 20W | 164 | 30° |
| 261513 Lenyk IL/S 120/4000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3420 | 20W | 171 | 30° |
| 261514 Lenyk IL/S 120/5000/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3510 | 20W | 176 | 30° |
| 261515 Lenyk IL/S 120/6500/20W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3420 | 20W | 171 | 30° |
| 261516 Lenyk IL/S 120/3000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | 60° |
| 261517 Lenyk IL/S 120/4000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | 60° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261518 Lenyk IL/S 120/5000/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | 60° |
| 261519 Lenyk IL/S 120/6500/20W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | 60° |
| 261520 Lenyk IL/S 120/3000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3270 | 20W | 164 | 90° |
| 261521 Lenyk IL/S 120/4000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3410 | 20W | 171 | 90° |
| 261522 Lenyk IL/S 120/5000/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3500 | 20W | 175 | 90° |
| 261523 Lenyk IL/S 120/6500/20W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3410 | 20W | 171 | 90° |
| 261524 Lenyk IL/S 120/3000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | DA |
| 261525 Lenyk IL/S 120/4000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | DA |
| 261526 Lenyk IL/S 120/5000/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | DA |
| 261527 Lenyk IL/S 120/6500/20W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | DA |
| 261528 Lenyk IL/S 120/3000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5190 | 34W | 153 | 30° |
| 261529 Lenyk IL/S 120/4000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5410 | 34W | 160 | 30° |
| 261530 Lenyk IL/S 120/5000/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5555 | 34W | 164 | 30° |
| 261531 Lenyk IL/S 120/6500/34W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5410 | 34W | 160 | 30° |
| 261532 Lenyk IL/S 120/3000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | 60° |
| 261533 Lenyk IL/S 120/4000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | 60° |
| 261534 Lenyk IL/S 120/5000/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | 60° |
| 261535 Lenyk IL/S 120/6500/34W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | 60° |
| 261536 Lenyk IL/S 120/3000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5175 | 34W | 153 | 90° |
| 261537 Lenyk IL/S 120/4000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5395 | 34W | 159 | 90° |
| 261538 Lenyk IL/S 120/5000/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5540 | 34W | 163 | 90° |
| 261539 Lenyk IL/S 120/6500/34W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5395 | 34W | 159 | 90° |
| 261540 Lenyk IL/S 120/3000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | DA |
| 261541 Lenyk IL/S 120/4000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | DA |
| 261542 Lenyk IL/S 120/5000/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | DA |
| 261543 Lenyk IL/S 120/6500/34W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | DA |
| 261544 Lenyk IL/S 120/3000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6080 | 41W | 149 | 30° |
| 261545 Lenyk IL/S 120/4000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6335 | 41W | 155 | 30° |
| 261546 Lenyk IL/S 120/5000/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6510 | 41W | 159 | 30° |
| 261547 Lenyk IL/S 120/6500/41W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6335 | 41W | 155 | 30° |
| 261548 Lenyk IL/S 120/3000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | 60° |
| 261549 Lenyk IL/S 120/4000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | 60° |
| 261550 Lenyk IL/S 120/5000/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | 60° |
| 261551 Lenyk IL/S 120/6500/41W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | 60° |
| 261552 Lenyk IL/S 120/3000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6065 | 41W | 148 | 90° |
| 261553 Lenyk IL/S 120/4000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6320 | 41W | 155 | 90° |
| 261554 Lenyk IL/S 120/5000/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6490 | 41W | 159 | 90° |
| 261555 Lenyk IL/S 120/6500/41W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6320 | 41W | 155 | 90° |
| 261556 Lenyk IL/S 120/3000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | DA |
| 261557 Lenyk IL/S 120/4000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | DA |
| 261558 Lenyk IL/S 120/5000/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | DA |
| 261559 Lenyk IL/S 120/6500/41W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | DA |
| 261560 Lenyk IL/S 120/3000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7885 | 49W | 161 | 30° |
| 261561 Lenyk IL/S 120/4000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8220 | 49W | 168 | 30° |
| 261562 Lenyk IL/S 120/5000/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8445 | 49W | 173 | 30° |
| 261563 Lenyk IL/S 120/6500/49W/80/TB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8220 | 49W | 168 | 30° |
| 261564 Lenyk IL/S 120/3000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | 60° |
| 261565 Lenyk IL/S 120/4000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | 60° |
| 261566 Lenyk IL/S 120/5000/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | 60° |
| 261567 Lenyk IL/S 120/6500/49W/80/NB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | 60° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261568 Lenyk IL/S 120/3000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7865 | 49W | 161 | 90° |
| 261569 Lenyk IL/S 120/4000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8200 | 49W | 168 | 90° |
| 261570 Lenyk IL/S 120/5000/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8420 | 49W | 172 | 90° |
| 261571 Lenyk IL/S 120/6500/49W/80/WB/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8200 | 49W | 168 | 90° |
| 261572 Lenyk IL/S 120/3000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | DA |
| 261573 Lenyk IL/S 120/4000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | DA |
| 261574 Lenyk IL/S 120/5000/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | DA |
| 261575 Lenyk IL/S 120/6500/49W/80/DA/EM1H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | DA |
| 261576 Lenyk IL/S 150/3000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3990 | 25W | 160 | 30° |
| 261577 Lenyk IL/S 150/4000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4160 | 25W | 167 | 30° |
| 261578 Lenyk IL/S 150/5000/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4275 | 25W | 171 | 30° |
| 261579 Lenyk IL/S 150/6500/25W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4160 | 25W | 167 | 30° |
| 261580 Lenyk IL/S 150/3000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | 60° |
| 261581 Lenyk IL/S 150/4000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | 60° |
| 261582 Lenyk IL/S 150/5000/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | 60° |
| 261583 Lenyk IL/S 150/6500/25W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | 60° |
| 261584 Lenyk IL/S 150/3000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3980 | 25W | 160 | 90° |
| 261585 Lenyk IL/S 150/4000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4150 | 25W | 166 | 90° |
| 261586 Lenyk IL/S 150/5000/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4260 | 25W | 171 | 90° |
| 261587 Lenyk IL/S 150/6500/25W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4150 | 25W | 166 | 90° |
| 261588 Lenyk IL/S 150/3000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | DA |
| 261589 Lenyk IL/S 150/4000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | DA |
| 261590 Lenyk IL/S 150/5000/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | DA |
| 261591 Lenyk IL/S 150/6500/25W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | DA |
| 261592 Lenyk IL/S 150/3000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 5045 | 33W | 153 | 30° |
| 261593 Lenyk IL/S 150/4000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5260 | 33W | 160 | 30° |
| 261594 Lenyk IL/S 150/5000/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5400 | 33W | 164 | 30° |
| 261595 Lenyk IL/S 150/6500/33W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5260 | 33W | 160 | 30° |
| 261596 Lenyk IL/S 150/3000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | 60° |
| 261597 Lenyk IL/S 150/4000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | 60° |
| 261598 Lenyk IL/S 150/5000/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | 60° |
| 261599 Lenyk IL/S 150/6500/33W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | 60° |
| 261600 Lenyk IL/S 150/3000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4985 | 33W | 152 | 90° |
| 261601 Lenyk IL/S 150/4000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5195 | 33W | 158 | 90° |
| 261602 Lenyk IL/S 150/5000/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5340 | 33W | 162 | 90° |
| 261603 Lenyk IL/S 150/6500/33W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5195 | 33W | 158 | 90° |
| 261604 Lenyk IL/S 150/3000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | DA |
| 261605 Lenyk IL/S 150/4000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | DA |
| 261606 Lenyk IL/S 150/5000/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | DA |
| 261607 Lenyk IL/S 150/6500/33W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | DA |
| 261608 Lenyk IL/S 150/3000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6445 | 42W | 154 | 30° |
| 261609 Lenyk IL/S 150/4000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6720 | 42W | 160 | 30° |
| 261610 Lenyk IL/S 150/5000/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6900 | 42W | 165 | 30° |
| 261611 Lenyk IL/S 150/6500/42W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6720 | 42W | 160 | 30° |
| 261612 Lenyk IL/S 150/3000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | 60° |
| 261613 Lenyk IL/S 150/4000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | 60° |
| 261614 Lenyk IL/S 150/5000/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | 60° |
| 261615 Lenyk IL/S 150/6500/42W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | 60° |
| 261616 Lenyk IL/S 150/3000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6370 | 42W | 152 | 90° |
| 261617 Lenyk IL/S 150/4000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6640 | 42W | 159 | 90° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261618 Lenyk IL/S 150/5000/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6820 | 42W | 163 | 90° |
| 261619 Lenyk IL/S 150/6500/42W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6640 | 42W | 159 | 90° |
| 261620 Lenyk IL/S 150/3000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | DA |
| 261621 Lenyk IL/S 150/4000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | DA |
| 261622 Lenyk IL/S 150/5000/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | DA |
| 261623 Lenyk IL/S 150/6500/42W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | DA |
| 261624 Lenyk IL/S 150/3000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7495 | 51W | 147 | 30° |
| 261625 Lenyk IL/S 150/4000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7810 | 51W | 154 | 30° |
| 261626 Lenyk IL/S 150/5000/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 8020 | 51W | 158 | 30° |
| 261627 Lenyk IL/S 150/6500/51W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7810 | 51W | 154 | 30° |
| 261628 Lenyk IL/S 150/3000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 145 | 60° |
| 261629 Lenyk IL/S 150/4000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 151 | 60° |
| 261630 Lenyk IL/S 150/5000/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 155 | 60° |
| 261631 Lenyk IL/S 150/6500/51W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 151 | 60° |
| 261632 Lenyk IL/S 150/3000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7405 | 51W | 146 | 90° |
| 261633 Lenyk IL/S 150/4000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7720 | 51W | 152 | 90° |
| 261634 Lenyk IL/S 150/5000/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7930 | 51W | 156 | 90° |
| 261635 Lenyk IL/S 150/6500/51W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7720 | 51W | 152 | 90° |
| 261636 Lenyk IL/S 150/3000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 139 | DA |
| 261637 Lenyk IL/S 150/4000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 144 | DA |
| 261638 Lenyk IL/S 150/5000/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 148 | DA |
| 261639 Lenyk IL/S 150/6500/51W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 144 | DA |
| 261640 Lenyk IL/S 150/3000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8790 | 60W | 147 | 30° |
| 261641 Lenyk IL/S 150/4000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9160 | 60W | 153 | 30° |
| 261642 Lenyk IL/S 150/5000/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9410 | 60W | 157 | 30° |
| 261643 Lenyk IL/S 150/6500/60W/80/TB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9160 | 60W | 153 | 30° |
| 261644 Lenyk IL/S 150/3000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | 60° |
| 261645 Lenyk IL/S 150/4000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | 60° |
| 261646 Lenyk IL/S 150/5000/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | 60° |
| 261647 Lenyk IL/S 150/6500/60W/80/NB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | 60° |
| 261648 Lenyk IL/S 150/3000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8765 | 60W | 147 | 90° |
| 261649 Lenyk IL/S 150/4000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9135 | 60W | 153 | 90° |
| 261650 Lenyk IL/S 150/5000/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9385 | 60W | 157 | 90° |
| 261651 Lenyk IL/S 150/6500/60W/80/WB/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9135 | 60W | 153 | 90° |
| 261652 Lenyk IL/S 150/3000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | DA |
| 261653 Lenyk IL/S 150/4000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | DA |
| 261654 Lenyk IL/S 150/5000/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | DA |
| 261655 Lenyk IL/S 150/6500/60W/80/DA/EM1H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | DA |
| 216656 Lenyk IL 120/3000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3280 | 20W | 164 | 30° |
| 216657 Lenyk IL 120/4000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3420 | 20W | 171 | 30° |
| 216658 Lenyk IL 120/5000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3510 | 20W | 176 | 30° |
| 216659 Lenyk IL 120/6500/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3420 | 20W | 171 | 30° |
| 216660 Lenyk IL 120/3000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | 60° |
| 216661 Lenyk IL 120/4000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | 60° |
| 216662 Lenyk IL 120/5000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | 60° |
| 216663 Lenyk IL 120/6500/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | 60° |
| 216664 Lenyk IL 120/3000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3270 | 20W | 164 | 90° |
| 216665 Lenyk IL 120/4000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3410 | 20W | 171 | 90° |
| 216666 Lenyk IL 120/5000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3500 | 20W | 175 | 90° |
| 216667 Lenyk IL 120/6500/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3410 | 20W | 171 | 90° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216668 Lenyk IL 120/3000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | DA |
| 216669 Lenyk IL 120/4000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | DA |
| 216670 Lenyk IL 120/5000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | DA |
| 216671 Lenyk IL 120/6500/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | DA |
| 216672 Lenyk IL 120/3000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5190 | 34W | 153 | 30° |
| 216673 Lenyk IL 120/4000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5410 | 34W | 160 | 30° |
| 216674 Lenyk IL 120/5000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5555 | 34W | 164 | 30° |
| 216675 Lenyk IL 120/6500/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5410 | 34W | 160 | 30° |
| 216676 Lenyk IL 120/3000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | 60° |
| 216677 Lenyk IL 120/4000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | 60° |
| 216678 Lenyk IL 120/5000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | 60° |
| 216679 Lenyk IL 120/6500/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | 60° |
| 216680 Lenyk IL 120/3000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5175 | 34W | 153 | 90° |
| 216681 Lenyk IL 120/4000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5395 | 34W | 159 | 90° |
| 216682 Lenyk IL 120/5000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5540 | 34W | 163 | 90° |
| 216683 Lenyk IL 120/6500/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5395 | 34W | 159 | 90° |
| 216684 Lenyk IL 120/3000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | DA |
| 216685 Lenyk IL 120/4000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | DA |
| 216686 Lenyk IL 120/5000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | DA |
| 216687 Lenyk IL 120/6500/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | DA |
| 216688 Lenyk IL 120/3000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6080 | 41W | 149 | 30° |
| 216689 Lenyk IL 120/4000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6335 | 41W | 155 | 30° |
| 216690 Lenyk IL 120/5000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6510 | 41W | 159 | 30° |
| 216691 Lenyk IL 120/6500/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6335 | 41W | 155 | 30° |
| 216692 Lenyk IL 120/3000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | 60° |
| 216693 Lenyk IL 120/4000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | 60° |
| 216694 Lenyk IL 120/5000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | 60° |
| 216695 Lenyk IL 120/6500/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | 60° |
| 216696 Lenyk IL 120/3000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6065 | 41W | 148 | 90° |
| 216697 Lenyk IL 120/4000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6320 | 41W | 155 | 90° |
| 216698 Lenyk IL 120/5000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6490 | 41W | 159 | 90° |
| 216699 Lenyk IL 120/6500/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6320 | 41W | 155 | 90° |
| 216700 Lenyk IL 120/3000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | DA |
| 216701 Lenyk IL 120/4000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | DA |
| 216702 Lenyk IL 120/5000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | DA |
| 216703 Lenyk IL 120/6500/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | DA |
| 216704 Lenyk IL 120/3000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7885 | 49W | 161 | 30° |
| 216705 Lenyk IL 120/4000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8220 | 49W | 168 | 30° |
| 216706 Lenyk IL 120/5000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8445 | 49W | 173 | 30° |
| 216707 Lenyk IL 120/6500/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8220 | 49W | 168 | 30° |
| 216708 Lenyk IL 120/3000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | 60° |
| 216709 Lenyk IL 120/4000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | 60° |
| 216710 Lenyk IL 120/5000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | 60° |
| 216711 Lenyk IL 120/6500/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | 60° |
| 216712 Lenyk IL 120/3000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7865 | 49W | 161 | 90° |
| 216713 Lenyk IL 120/4000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8200 | 49W | 168 | 90° |
| 216714 Lenyk IL 120/5000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8420 | 49W | 172 | 90° |
| 216715 Lenyk IL 120/6500/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8200 | 49W | 168 | 90° |
| 216716 Lenyk IL 120/3000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | DA |
| 216717 Lenyk IL 120/4000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | DA |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216718 Lenyk IL 120/5000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | DA |
| 216719 Lenyk IL 120/6500/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | DA |
| 216720 Lenyk IL 150/3000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3990 | 25W | 160 | 30° |
| 216721 Lenyk IL 150/4000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4160 | 25W | 167 | 30° |
| 216722 Lenyk IL 150/5000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4275 | 25W | 171 | 30° |
| 216723 Lenyk IL 150/6500/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4160 | 25W | 167 | 30° |
| 216724 Lenyk IL 150/3000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | 60° |
| 216725 Lenyk IL 150/4000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | 60° |
| 216726 Lenyk IL 150/5000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | 60° |
| 216727 Lenyk IL 150/6500/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | 60° |
| 216728 Lenyk IL 150/3000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3980 | 25W | 160 | 90° |
| 216729 Lenyk IL 150/4000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4150 | 25W | 166 | 90° |
| 216730 Lenyk IL 150/5000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4260 | 25W | 171 | 90° |
| 216731 Lenyk IL 150/6500/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4150 | 25W | 166 | 90° |
| 216732 Lenyk IL 150/3000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | DA |
| 216733 Lenyk IL 150/4000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | DA |
| 216734 Lenyk IL 150/5000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | DA |
| 216735 Lenyk IL 150/6500/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | DA |
| 216736 Lenyk IL 150/3000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 5045 | 33W | 153 | 30° |
| 216737 Lenyk IL 150/4000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5260 | 33W | 160 | 30° |
| 216738 Lenyk IL 150/5000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5400 | 33W | 164 | 30° |
| 216739 Lenyk IL 150/6500/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5260 | 33W | 160 | 30° |
| 216740 Lenyk IL 150/3000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | 60° |
| 216741 Lenyk IL 150/4000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | 60° |
| 216742 Lenyk IL 150/5000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | 60° |
| 216743 Lenyk IL 150/6500/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | 60° |
| 216744 Lenyk IL 150/3000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4985 | 33W | 152 | 90° |
| 216745 Lenyk IL 150/4000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5195 | 33W | 158 | 90° |
| 216746 Lenyk IL 150/5000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5340 | 33W | 162 | 90° |
| 216747 Lenyk IL 150/6500/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5195 | 33W | 158 | 90° |
| 216748 Lenyk IL 150/3000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | DA |
| 216749 Lenyk IL 150/4000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | DA |
| 216750 Lenyk IL 150/5000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | DA |
| 216751 Lenyk IL 150/6500/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | DA |
| 216752 Lenyk IL 150/3000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6445 | 42W | 154 | 30° |
| 216753 Lenyk IL 150/4000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6720 | 42W | 160 | 30° |
| 216754 Lenyk IL 150/5000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6900 | 42W | 165 | 30° |
| 216755 Lenyk IL 150/6500/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6720 | 42W | 160 | 30° |
| 216756 Lenyk IL 150/3000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | 60° |
| 216757 Lenyk IL 150/4000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | 60° |
| 216758 Lenyk IL 150/5000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | 60° |
| 216759 Lenyk IL 150/6500/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | 60° |
| 216760 Lenyk IL 150/3000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6370 | 42W | 152 | 90° |
| 216761 Lenyk IL 150/4000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6640 | 42W | 159 | 90° |
| 216762 Lenyk IL 150/5000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6820 | 42W | 163 | 90° |
| 216763 Lenyk IL 150/6500/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6640 | 42W | 159 | 90° |
| 216764 Lenyk IL 150/3000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | DA |
| 216765 Lenyk IL 150/4000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | DA |
| 216766 Lenyk IL 150/5000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | DA |
| 216767 Lenyk IL 150/6500/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | DA |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 216768 Lenyk IL 150/3000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7495 | 51W | 147 | 30° |
| 216769 Lenyk IL 150/4000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7810 | 51W | 154 | 30° |
| 216770 Lenyk IL 150/5000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 8020 | 51W | 158 | 30° |
| 216771 Lenyk IL 150/6500/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7810 | 51W | 154 | 30° |
| 216772 Lenyk IL 150/3000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 145 | 60° |
| 216773 Lenyk IL 150/4000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 151 | 60° |
| 216774 Lenyk IL 150/5000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 155 | 60° |
| 216775 Lenyk IL 150/6500/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 151 | 60° |
| 216776 Lenyk IL 150/3000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7405 | 51W | 146 | 90° |
| 216777 Lenyk IL 150/4000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7720 | 51W | 152 | 90° |
| 216778 Lenyk IL 150/5000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7930 | 51W | 156 | 90° |
| 216779 Lenyk IL 150/6500/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7720 | 51W | 152 | 90° |
| 216780 Lenyk IL 150/3000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 139 | DA |
| 216781 Lenyk IL 150/4000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 144 | DA |
| 216782 Lenyk IL 150/5000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 148 | DA |
| 216783 Lenyk IL 150/6500/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 144 | DA |
| 216784 Lenyk IL 150/3000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8790 | 60W | 147 | 30° |
| 216785 Lenyk IL 150/4000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9160 | 60W | 153 | 30° |
| 216786 Lenyk IL 150/5000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9410 | 60W | 157 | 30° |
| 216787 Lenyk IL 150/6500/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9160 | 60W | 153 | 30° |
| 216788 Lenyk IL 150/3000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | 60° |
| 216789 Lenyk IL 150/4000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | 60° |
| 216790 Lenyk IL 150/5000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | 60° |
| 216791 Lenyk IL 150/6500/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | 60° |
| 216792 Lenyk IL 150/3000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8765 | 60W | 147 | 90° |
| 216793 Lenyk IL 150/4000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9135 | 60W | 153 | 90° |
| 216794 Lenyk IL 150/5000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9385 | 60W | 157 | 90° |
| 216795 Lenyk IL 150/6500/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9135 | 60W | 153 | 90° |
| 216796 Lenyk IL 150/3000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | DA |
| 216797 Lenyk IL 150/4000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | DA |
| 216798 Lenyk IL 150/5000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | DA |
| 216799 Lenyk IL 150/6500/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | DA |
| 261656 Lenyk IL/S 120/3000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3280 | 20W | 164 | 30° |
| 261657 Lenyk IL/S 120/4000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3420 | 20W | 171 | 30° |
| 261658 Lenyk IL/S 120/5000/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3510 | 20W | 176 | 30° |
| 261659 Lenyk IL/S 120/6500/20W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3420 | 20W | 171 | 30° |
| 261660 Lenyk IL/S 120/3000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | 60° |
| 261661 Lenyk IL/S 120/4000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | 60° |
| 261662 Lenyk IL/S 120/5000/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | 60° |
| 261663 Lenyk IL/S 120/6500/20W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | 60° |
| 261664 Lenyk IL/S 120/3000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3270 | 20W | 164 | 90° |
| 261665 Lenyk IL/S 120/4000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3410 | 20W | 171 | 90° |
| 261666 Lenyk IL/S 120/5000/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3500 | 20W | 175 | 90° |
| 261667 Lenyk IL/S 120/6500/20W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3410 | 20W | 171 | 90° |
| 261668 Lenyk IL/S 120/3000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 3255 | 20W | 163 | DA |
| 261669 Lenyk IL/S 120/4000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 3395 | 20W | 170 | DA |
| 261670 Lenyk IL/S 120/5000/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 3485 | 20W | 175 | DA |
| 261671 Lenyk IL/S 120/6500/20W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 3395 | 20W | 170 | DA |
| 261672 Lenyk IL/S 120/3000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5190 | 34W | 153 | 30° |
| 261673 Lenyk IL/S 120/4000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5410 | 34W | 160 | 30° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261674 Lenyk IL/S 120/5000/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5555 | 34W | 164 | 30° |
| 261675 Lenyk IL/S 120/6500/34W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5410 | 34W | 160 | 30° |
| 261676 Lenyk IL/S 120/3000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | 60° |
| 261677 Lenyk IL/S 120/4000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | 60° |
| 261678 Lenyk IL/S 120/5000/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | 60° |
| 261679 Lenyk IL/S 120/6500/34W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | 60° |
| 261680 Lenyk IL/S 120/3000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5175 | 34W | 153 | 90° |
| 261681 Lenyk IL/S 120/4000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5395 | 34W | 159 | 90° |
| 261682 Lenyk IL/S 120/5000/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5540 | 34W | 163 | 90° |
| 261683 Lenyk IL/S 120/6500/34W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5395 | 34W | 159 | 90° |
| 261684 Lenyk IL/S 120/3000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 5150 | 34W | 152 | DA |
| 261685 Lenyk IL/S 120/4000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 5370 | 34W | 158 | DA |
| 261686 Lenyk IL/S 120/5000/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 5515 | 34W | 163 | DA |
| 261687 Lenyk IL/S 120/6500/34W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 5370 | 34W | 158 | DA |
| 261688 Lenyk IL/S 120/3000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6080 | 41W | 149 | 30° |
| 261689 Lenyk IL/S 120/4000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6335 | 41W | 155 | 30° |
| 261690 Lenyk IL/S 120/5000/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6510 | 41W | 159 | 30° |
| 261691 Lenyk IL/S 120/6500/41W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6335 | 41W | 155 | 30° |
| 261692 Lenyk IL/S 120/3000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | 60° |
| 261693 Lenyk IL/S 120/4000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | 60° |
| 261694 Lenyk IL/S 120/5000/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | 60° |
| 261695 Lenyk IL/S 120/6500/41W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | 60° |
| 261696 Lenyk IL/S 120/3000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6065 | 41W | 148 | 90° |
| 261697 Lenyk IL/S 120/4000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6320 | 41W | 155 | 90° |
| 261698 Lenyk IL/S 120/5000/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6490 | 41W | 159 | 90° |
| 261699 Lenyk IL/S 120/6500/41W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6320 | 41W | 155 | 90° |
| 261700 Lenyk IL/S 120/3000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 6035 | 41W | 148 | DA |
| 261701 Lenyk IL/S 120/4000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 6290 | 41W | 154 | DA |
| 261702 Lenyk IL/S 120/5000/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 6460 | 41W | 158 | DA |
| 261703 Lenyk IL/S 120/6500/41W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 6290 | 41W | 154 | DA |
| 261704 Lenyk IL/S 120/3000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7885 | 49W | 161 | 30° |
| 261705 Lenyk IL/S 120/4000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8220 | 49W | 168 | 30° |
| 261706 Lenyk IL/S 120/5000/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8445 | 49W | 173 | 30° |
| 261707 Lenyk IL/S 120/6500/49W/80/TB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8220 | 49W | 168 | 30° |
| 261708 Lenyk IL/S 120/3000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | 60° |
| 261709 Lenyk IL/S 120/4000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | 60° |
| 261710 Lenyk IL/S 120/5000/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | 60° |
| 261711 Lenyk IL/S 120/6500/49W/80/NB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | 60° |
| 261712 Lenyk IL/S 120/3000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7865 | 49W | 161 | 90° |
| 261713 Lenyk IL/S 120/4000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8200 | 49W | 168 | 90° |
| 261714 Lenyk IL/S 120/5000/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8420 | 49W | 172 | 90° |
| 261715 Lenyk IL/S 120/6500/49W/80/WB/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8200 | 49W | 168 | 90° |
| 261716 Lenyk IL/S 120/3000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 3000 | 7830 | 49W | 160 | DA |
| 261717 Lenyk IL/S 120/4000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 4000 | 8160 | 49W | 167 | DA |
| 261718 Lenyk IL/S 120/5000/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 5000 | 8380 | 49W | 172 | DA |
| 261719 Lenyk IL/S 120/6500/49W/80/DA/EM3H | 1201 x 56.5 x 59.9 ± 1mm | 6500 | 8160 | 49W | 167 | DA |
| 261720 Lenyk IL/S 150/3000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3990 | 25W | 160 | 30° |
| 261721 Lenyk IL/S 150/4000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4160 | 25W | 167 | 30° |
| 261722 Lenyk IL/S 150/5000/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4275 | 25W | 171 | 30° |
| 261723 Lenyk IL/S 150/6500/25W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4160 | 25W | 167 | 30° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261724 Lenyk IL/S 150/3000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | 60° |
| 261725 Lenyk IL/S 150/4000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | 60° |
| 261726 Lenyk IL/S 150/5000/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | 60° |
| 261727 Lenyk IL/S 150/6500/25W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | 60° |
| 261728 Lenyk IL/S 150/3000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3980 | 25W | 160 | 90° |
| 261729 Lenyk IL/S 150/4000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4150 | 25W | 166 | 90° |
| 261730 Lenyk IL/S 150/5000/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4260 | 25W | 171 | 90° |
| 261731 Lenyk IL/S 150/6500/25W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4150 | 25W | 166 | 90° |
| 261732 Lenyk IL/S 150/3000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 3965 | 25W | 159 | DA |
| 261733 Lenyk IL/S 150/4000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 4130 | 25W | 166 | DA |
| 261734 Lenyk IL/S 150/5000/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 4240 | 25W | 170 | DA |
| 261735 Lenyk IL/S 150/6500/25W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 4130 | 25W | 166 | DA |
| 261736 Lenyk IL/S 150/3000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 5045 | 33W | 153 | 30° |
| 261737 Lenyk IL/S 150/4000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5260 | 33W | 160 | 30° |
| 261738 Lenyk IL/S 150/5000/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5400 | 33W | 164 | 30° |
| 261739 Lenyk IL/S 150/6500/33W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5260 | 33W | 160 | 30° |
| 261740 Lenyk IL/S 150/3000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | 60° |
| 261741 Lenyk IL/S 150/4000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | 60° |
| 261742 Lenyk IL/S 150/5000/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | 60° |
| 261743 Lenyk IL/S 150/6500/33W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | 60° |
| 261744 Lenyk IL/S 150/3000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4985 | 33W | 152 | 90° |
| 261745 Lenyk IL/S 150/4000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5195 | 33W | 158 | 90° |
| 261746 Lenyk IL/S 150/5000/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5340 | 33W | 162 | 90° |
| 261747 Lenyk IL/S 150/6500/33W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5195 | 33W | 158 | 90° |
| 261748 Lenyk IL/S 150/3000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 4965 | 33W | 151 | DA |
| 261749 Lenyk IL/S 150/4000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 5175 | 33W | 157 | DA |
| 261750 Lenyk IL/S 150/5000/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 5315 | 33W | 162 | DA |
| 261751 Lenyk IL/S 150/6500/33W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 5175 | 33W | 157 | DA |
| 261752 Lenyk IL/S 150/3000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6445 | 42W | 154 | 30° |
| 261753 Lenyk IL/S 150/4000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6720 | 42W | 160 | 30° |
| 261754 Lenyk IL/S 150/5000/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6900 | 42W | 165 | 30° |
| 261755 Lenyk IL/S 150/6500/42W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6720 | 42W | 160 | 30° |
| 261756 Lenyk IL/S 150/3000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | 60° |
| 261757 Lenyk IL/S 150/4000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | 60° |
| 261758 Lenyk IL/S 150/5000/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | 60° |
| 261759 Lenyk IL/S 150/6500/42W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | 60° |
| 261760 Lenyk IL/S 150/3000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6370 | 42W | 152 | 90° |
| 261761 Lenyk IL/S 150/4000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6640 | 42W | 159 | 90° |
| 261762 Lenyk IL/S 150/5000/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6820 | 42W | 163 | 90° |
| 261763 Lenyk IL/S 150/6500/42W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6640 | 42W | 159 | 90° |
| 261764 Lenyk IL/S 150/3000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 6340 | 42W | 151 | DA |
| 261765 Lenyk IL/S 150/4000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 6610 | 42W | 158 | DA |
| 261766 Lenyk IL/S 150/5000/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 6790 | 42W | 162 | DA |
| 261767 Lenyk IL/S 150/6500/42W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 6610 | 42W | 158 | DA |
| 261768 Lenyk IL/S 150/3000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7495 | 51W | 147 | 30° |
| 261769 Lenyk IL/S 150/4000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7810 | 51W | 154 | 30° |
| 261770 Lenyk IL/S 150/5000/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 8020 | 51W | 158 | 30° |
| 261771 Lenyk IL/S 150/6500/51W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7810 | 51W | 154 | 30° |
| 261772 Lenyk IL/S 150/3000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 145 | 60° |
| 261773 Lenyk IL/S 150/4000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 151 | 60° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|--------------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 261774 Lenyk IL/S 150/5000/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 155 | 60° |
| 261775 Lenyk IL/S 150/6500/51W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 151 | 60° |
| 261776 Lenyk IL/S 150/3000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7405 | 51W | 146 | 90° |
| 261777 Lenyk IL/S 150/4000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7720 | 51W | 152 | 90° |
| 261778 Lenyk IL/S 150/5000/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7930 | 51W | 156 | 90° |
| 261779 Lenyk IL/S 150/6500/51W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7720 | 51W | 152 | 90° |
| 261780 Lenyk IL/S 150/3000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 7375 | 51W | 139 | DA |
| 261781 Lenyk IL/S 150/4000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 7685 | 51W | 144 | DA |
| 261782 Lenyk IL/S 150/5000/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 7895 | 51W | 148 | DA |
| 261783 Lenyk IL/S 150/6500/51W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 7685 | 51W | 144 | DA |
| 261784 Lenyk IL/S 150/3000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8790 | 60W | 147 | 30° |
| 261785 Lenyk IL/S 150/4000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9160 | 60W | 153 | 30° |
| 261786 Lenyk IL/S 150/5000/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9410 | 60W | 157 | 30° |
| 261787 Lenyk IL/S 150/6500/60W/80/TB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9160 | 60W | 153 | 30° |
| 261788 Lenyk IL/S 150/3000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | 60° |
| 261789 Lenyk IL/S 150/4000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | 60° |
| 261790 Lenyk IL/S 150/5000/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | 60° |
| 261791 Lenyk IL/S 150/6500/60W/80/NB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | 60° |
| 261792 Lenyk IL/S 150/3000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8765 | 60W | 147 | 90° |
| 261793 Lenyk IL/S 150/4000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9135 | 60W | 153 | 90° |
| 261794 Lenyk IL/S 150/5000/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9385 | 60W | 157 | 90° |
| 261795 Lenyk IL/S 150/6500/60W/80/WB/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9135 | 60W | 153 | 90° |
| 261796 Lenyk IL/S 150/3000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 3000 | 8725 | 60W | 146 | DA |
| 261797 Lenyk IL/S 150/4000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 4000 | 9095 | 60W | 152 | DA |
| 261798 Lenyk IL/S 150/5000/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 5000 | 9340 | 60W | 156 | DA |
| 261799 Lenyk IL/S 150/6500/60W/80/DA/EM3H | 1498 x 56.5 x 59.9 ± 1mm | 6500 | 9095 | 60W | 152 | DA |