



## Lenyk Slim TRK

### TRACK LINEARS | TEC SERIES

Lenyk Slim - as the name reveals, has a slimmer, more streamlined housing than Lenyk N. It boasts the same simple and double asymmetric lenses and high efficiency of the Lenyk family but, in addition, it also has a 30-cm version suitable for small enclosures which demand high illuminance.

Lenyk Slim TRK has several series, determined by various add-on and controls:





- Lenyk Slim TRK TEC: the standard for industrial, DIY and retail spaces
- Lenyk Slim TRK ECO-DALI: with DALI dimming

### APPLICATION

Grocery & Supermarkets | Retail | Industrial & Logistics | DIY

### FEATURES & BENEFITS

- CRI  $\geq 80$  as standard
- 4 color temperatures: 3000K, 4000K, 5000K and 6500K
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171 lm/w @4000K
- Wide range of lens angles: TB (30°), NB (60°), WB (90°), DA (Double Asymmetric), SA (Simple Asymmetric)




SPECIFICATIONS

Power consumption	12W, 16W	15W, 26W, 30W	21W, 37W, 44W, 50W	26W, 35W, 45W, 53W, 62W
Dimensions	301x71x68mm±1mm	593x71x69mm±1mm	1177x71x108mm±1mm	1469x71x108mm±1mm
Weight	0.8 Kg	1.1 Kg	2.1 Kg	2.5 Kg
Housing materials	Aluminium, polycarbonate			
IK code	IK04			
THD (at 230V, 50Hz, Full load)	<8%			
Protection class	Safety class 1			
Operating temperature [°C]	-20 ... +45 °C / -4F ... +113F			
Operating humidity [%]	10 ÷ 85			
Power factor	≥0.95			
AC Input [Vac]	220 - 240 VAC			
Color temperature [K]	3000K, 4000K, 5000K, 6500K			
Lens angle [°]	30°, 60°, 90°, DA, SA			
Lifespan [h]	50,000			
Housing color	● Anodised Black, ● Anodised Grey			
Lumen maintenance	L90/B10@50,000h at 25°C			
IP factor	IP20			
Control optional	For more information please see <b>LENYK SLIM TRK ECO-DALI</b> datasheet			
Warranty [years]	5			
Storage temperature range [°C]	-20 ... +55 / -4F ... +113F			
Emergency option	-			

Light application	Standard
CRI	CRI 80
CCT [K]	3000K/4000K/5000K/6500K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



**RISK GROUP****RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

**TOLERANCES**

**Luminous flux tolerances:** -/+ 5%

**Consumption tolerance:** -/+ 5% for TEC | -/+ 10% for TEC & KIT EM | -/+ 10% for ECO-DALI | -/+ 15% for ECO-DALI & KIT EM

**BATTERY WARRANTY**

**TEC EM & ECO EM:** 12 months warranty

**TEC & ECO:** -

**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

Power	Driver type	Control type	Circuit Breaker Type						
			Amperage	B			C		
				20	16	10	20	16	10
< 50W		TEC		37	30	18	62	51	31
≥ 50W		TEC		37	30	18	62	51	31
< 80W		ECO		27	21	13	45	35	21

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
<b>CRI 80</b>							
191000	Lenyk Slim TRK30/3000/12W/80/TB	301x71x68mm±1mm	3000	1595	12W	133	30
191001	Lenyk Slim TRK30/4000/12W/80/TB	301x71x68mm±1mm	4000	1660	12W	139	30
191002	Lenyk Slim TRK30/5000/12W/80/TB	301x71x68mm±1mm	5000	1705	12W	143	30
191003	Lenyk Slim TRK30/6500/12W/80/TB	301x71x68mm±1mm	6500	1660	12W	139	30
191004	Lenyk Slim TRK30/3000/12W/80/NB	301x71x68mm±1mm	3000	1585	12W	132	60
191005	Lenyk Slim TRK30/4000/12W/80/NB	301x71x68mm±1mm	4000	1650	12W	138	60
191006	Lenyk Slim TRK30/5000/12W/80/NB	301x71x68mm±1mm	5000	1695	12W	141	60
191007	Lenyk Slim TRK30/6500/12W/80/NB	301x71x68mm±1mm	6500	1650	12W	138	60
191008	Lenyk Slim TRK30/3000/12W/80/WB	301x71x68mm±1mm	3000	1590	12W	133	90
191009	Lenyk Slim TRK30/4000/12W/80/WB	301x71x68mm±1mm	4000	1655	12W	138	90
191010	Lenyk Slim TRK30/5000/12W/80/WB	301x71x68mm±1mm	5000	1700	12W	142	90
191011	Lenyk Slim TRK30/6500/12W/80/WB	301x71x68mm±1mm	6500	1655	12W	138	90
191012	Lenyk Slim TRK30/3000/12W/80/DA	301x71x68mm±1mm	3000	1585	12W	132	DA
191013	Lenyk Slim TRK30/4000/12W/80/DA	301x71x68mm±1mm	4000	1650	12W	138	DA
191014	Lenyk Slim TRK30/5000/12W/80/DA	301x71x68mm±1mm	5000	1695	12W	141	DA
191015	Lenyk Slim TRK30/6500/12W/80/DA	301x71x68mm±1mm	6500	1650	12W	138	DA
191016	Lenyk Slim TRK30/3000/12W/80/SA	301x71x68mm±1mm	3000	1510	12W	126	SA
191017	Lenyk Slim TRK30/4000/12W/80/SA	301x71x68mm±1mm	4000	1575	12W	132	SA
191018	Lenyk Slim TRK30/5000/12W/80/SA	301x71x68mm±1mm	5000	1620	12W	135	SA
191019	Lenyk Slim TRK30/6500/12W/80/SA	301x71x68mm±1mm	6500	1575	12W	132	SA
191020	Lenyk Slim TRK30/3000/16W/80/TB	301x71x68mm±1mm	3000	2010	16W	126	30
191021	Lenyk Slim TRK30/4000/16W/80/TB	301x71x68mm±1mm	4000	2095	16W	131	30
191022	Lenyk Slim TRK30/5000/16W/80/TB	301x71x68mm±1mm	5000	2150	16W	135	30
191023	Lenyk Slim TRK30/6500/16W/80/TB	301x71x68mm±1mm	6500	2095	16W	131	30
191024	Lenyk Slim TRK30/3000/16W/80/NB	301x71x68mm±1mm	3000	1995	16W	125	60
191025	Lenyk Slim TRK30/4000/16W/80/NB	301x71x68mm±1mm	4000	2080	16W	130	60
191026	Lenyk Slim TRK30/5000/16W/80/NB	301x71x68mm±1mm	5000	2135	16W	134	60
191027	Lenyk Slim TRK30/6500/16W/80/NB	301x71x68mm±1mm	6500	2080	16W	130	60
191028	Lenyk Slim TRK30/3000/16W/80/WB	301x71x68mm±1mm	3000	2005	16W	126	90
191029	Lenyk Slim TRK30/4000/16W/80/WB	301x71x68mm±1mm	4000	2090	16W	131	90
191030	Lenyk Slim TRK30/5000/16W/80/WB	301x71x68mm±1mm	5000	2145	16W	134	90
191031	Lenyk Slim TRK30/6500/16W/80/WB	301x71x68mm±1mm	6500	2090	16W	131	90
191032	Lenyk Slim TRK30/3000/16W/80/DA	301x71x68mm±1mm	3000	1995	16W	125	DA
191033	Lenyk Slim TRK30/4000/16W/80/DA	301x71x68mm±1mm	4000	2080	16W	130	DA
191034	Lenyk Slim TRK30/5000/16W/80/DA	301x71x68mm±1mm	5000	2135	16W	134	DA
191035	Lenyk Slim TRK30/6500/16W/80/DA	301x71x68mm±1mm	6500	2080	16W	130	DA
191036	Lenyk Slim TRK30/3000/16W/80/SA	301x71x68mm±1mm	3000	1905	16W	119	SA
191037	Lenyk Slim TRK30/4000/16W/80/SA	301x71x68mm±1mm	4000	1985	16W	124	SA
191038	Lenyk Slim TRK30/5000/16W/80/SA	301x71x68mm±1mm	5000	2040	16W	128	SA
191039	Lenyk Slim TRK30/6500/16W/80/SA	301x71x68mm±1mm	6500	1985	16W	124	SA
191040	Lenyk Slim TRK60/3000/15W/80/TB	593x71x69mm±1mm	3000	2135	15W	143	30
191041	Lenyk Slim TRK60/4000/15W/80/TB	593x71x69mm±1mm	4000	2225	15W	149	30
191042	Lenyk Slim TRK60/5000/15W/80/TB	593x71x69mm±1mm	5000	2285	15W	153	30
191043	Lenyk Slim TRK60/6500/15W/80/TB	593x71x69mm±1mm	6500	2225	15W	149	30
191044	Lenyk Slim TRK60/3000/15W/80/NB	593x71x69mm±1mm	3000	2120	15W	142	60
191045	Lenyk Slim TRK60/4000/15W/80/NB	593x71x69mm±1mm	4000	2205	15W	147	60
191046	Lenyk Slim TRK60/5000/15W/80/NB	593x71x69mm±1mm	5000	2265	15W	151	60
191047	Lenyk Slim TRK60/6500/15W/80/NB	593x71x69mm±1mm	6500	2205	15W	147	60
191048	Lenyk Slim TRK60/3000/15W/80/WB	593x71x69mm±1mm	3000	2125	15W	142	90
191049	Lenyk Slim TRK60/4000/15W/80/WB	593x71x69mm±1mm	4000	2215	15W	148	90

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
<b>CRI 80</b>							
191050	Lenyk Slim TRK60/5000/15W/80/WB	593x71x69mm±1mm	5000	2275	15W	152	90
191051	Lenyk Slim TRK60/6500/15W/80/WB	593x71x69mm±1mm	6500	2215	15W	148	90
191052	Lenyk Slim TRK60/3000/15W/80/DA	593x71x69mm±1mm	3000	2120	15W	142	DA
191053	Lenyk Slim TRK60/4000/15W/80/DA	593x71x69mm±1mm	4000	2205	15W	147	DA
191054	Lenyk Slim TRK60/5000/15W/80/DA	593x71x69mm±1mm	5000	2265	15W	151	DA
191055	Lenyk Slim TRK60/6500/15W/80/DA	593x71x69mm±1mm	6500	2205	15W	147	DA
191056	Lenyk Slim TRK60/3000/15W/80/SA	593x71x69mm±1mm	3000	2020	15W	135	SA
191057	Lenyk Slim TRK60/4000/15W/80/SA	593x71x69mm±1mm	4000	2110	15W	141	SA
191058	Lenyk Slim TRK60/5000/15W/80/SA	593x71x69mm±1mm	5000	2165	15W	145	SA
191059	Lenyk Slim TRK60/6500/15W/80/SA	593x71x69mm±1mm	6500	2110	15W	141	SA
191060	Lenyk Slim TRK60/3000/26W/80/TB	593x71x69mm±1mm	3000	3480	26W	134	30
191061	Lenyk Slim TRK60/4000/26W/80/TB	593x71x69mm±1mm	4000	3630	26W	140	30
191062	Lenyk Slim TRK60/5000/26W/80/TB	593x71x69mm±1mm	5000	3725	26W	144	30
191063	Lenyk Slim TRK60/6500/26W/80/TB	593x71x69mm±1mm	6500	3630	26W	140	30
191064	Lenyk Slim TRK60/3000/26W/80/NB	593x71x69mm±1mm	3000	3455	26W	133	60
191065	Lenyk Slim TRK60/4000/26W/80/NB	593x71x69mm±1mm	4000	3600	26W	139	60
191066	Lenyk Slim TRK60/5000/26W/80/NB	593x71x69mm±1mm	5000	3700	26W	143	60
191067	Lenyk Slim TRK60/6500/26W/80/NB	593x71x69mm±1mm	6500	3600	26W	139	60
191068	Lenyk Slim TRK60/3000/26W/80/WB	593x71x69mm±1mm	3000	3470	26W	134	90
191069	Lenyk Slim TRK60/4000/26W/80/WB	593x71x69mm±1mm	4000	3620	26W	140	90
191070	Lenyk Slim TRK60/5000/26W/80/WB	593x71x69mm±1mm	5000	3715	26W	143	90
191071	Lenyk Slim TRK60/6500/26W/80/WB	593x71x69mm±1mm	6500	3620	26W	140	90
191072	Lenyk Slim TRK60/3000/26W/80/DA	593x71x69mm±1mm	3000	3455	26W	133	DA
191073	Lenyk Slim TRK60/4000/26W/80/DA	593x71x69mm±1mm	4000	3600	26W	139	DA
191074	Lenyk Slim TRK60/5000/26W/80/DA	593x71x69mm±1mm	5000	3700	26W	143	DA
191075	Lenyk Slim TRK60/6500/26W/80/DA	593x71x69mm±1mm	6500	3600	26W	139	DA
191076	Lenyk Slim TRK60/3000/26W/80/SA	593x71x69mm±1mm	3000	3300	26W	127	SA
191077	Lenyk Slim TRK60/4000/26W/80/SA	593x71x69mm±1mm	4000	3440	26W	133	SA
191078	Lenyk Slim TRK60/5000/26W/80/SA	593x71x69mm±1mm	5000	3530	26W	136	SA
191079	Lenyk Slim TRK60/6500/26W/80/SA	593x71x69mm±1mm	6500	3440	26W	133	SA
191080	Lenyk Slim TRK60/3000/30W/80/TB	593x71x69mm±1mm	3000	3945	30W	132	30
191081	Lenyk Slim TRK60/4000/30W/80/TB	593x71x69mm±1mm	4000	4115	30W	138	30
191082	Lenyk Slim TRK60/5000/30W/80/TB	593x71x69mm±1mm	5000	4225	30W	141	30
191083	Lenyk Slim TRK60/6500/30W/80/TB	593x71x69mm±1mm	6500	4115	30W	138	30
191084	Lenyk Slim TRK60/3000/30W/80/NB	593x71x69mm±1mm	3000	3920	30W	131	60
191085	Lenyk Slim TRK60/4000/30W/80/NB	593x71x69mm±1mm	4000	4085	30W	137	60
191086	Lenyk Slim TRK60/5000/30W/80/NB	593x71x69mm±1mm	5000	4195	30W	140	60
191087	Lenyk Slim TRK60/6500/30W/80/NB	593x71x69mm±1mm	6500	4085	30W	137	60
191088	Lenyk Slim TRK60/3000/30W/80/WB	593x71x69mm±1mm	3000	3935	30W	132	90
191089	Lenyk Slim TRK60/4000/30W/80/WB	593x71x69mm±1mm	4000	4105	30W	137	90
191090	Lenyk Slim TRK60/5000/30W/80/WB	593x71x69mm±1mm	5000	4215	30W	141	90
191091	Lenyk Slim TRK60/6500/30W/80/WB	593x71x69mm±1mm	6500	4105	30W	137	90
191092	Lenyk Slim TRK60/3000/30W/80/DA	593x71x69mm±1mm	3000	3920	30W	131	DA
191093	Lenyk Slim TRK60/4000/30W/80/DA	593x71x69mm±1mm	4000	4085	30W	137	DA
191094	Lenyk Slim TRK60/5000/30W/80/DA	593x71x69mm±1mm	5000	4195	30W	140	DA
191095	Lenyk Slim TRK60/6500/30W/80/DA	593x71x69mm±1mm	6500	4085	30W	137	DA
191096	Lenyk Slim TRK60/3000/30W/80/SA	593x71x69mm±1mm	3000	3740	30W	125	SA
191097	Lenyk Slim TRK60/4000/30W/80/SA	593x71x69mm±1mm	4000	3900	30W	130	SA
191098	Lenyk Slim TRK60/5000/30W/80/SA	593x71x69mm±1mm	5000	4005	30W	134	SA
191099	Lenyk Slim TRK60/6500/30W/80/SA	593x71x69mm±1mm	6500	3900	30W	130	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
<b>CRI 80</b>							
191100	Lenyk Slim TRK120/3000/21W/80/TB	1177x71x108mm±1mm	3000	3445	21W	165	30
191101	Lenyk Slim TRK120/4000/21W/80/TB	1177x71x108mm±1mm	4000	3590	21W	171	30
191102	Lenyk Slim TRK120/5000/21W/80/TB	1177x71x108mm±1mm	5000	3685	21W	176	30
191103	Lenyk Slim TRK120/6500/21W/80/TB	1177x71x108mm±1mm	6500	3590	21W	171	30
191104	Lenyk Slim TRK120/3000/21W/80/NB	1177x71x108mm±1mm	3000	3420	21W	163	60
191105	Lenyk Slim TRK120/4000/21W/80/NB	1177x71x108mm±1mm	4000	3565	21W	170	60
191106	Lenyk Slim TRK120/5000/21W/80/NB	1177x71x108mm±1mm	5000	3660	21W	175	60
191107	Lenyk Slim TRK120/6500/21W/80/NB	1177x71x108mm±1mm	6500	3565	21W	170	60
191108	Lenyk Slim TRK120/3000/21W/80/WB	1177x71x108mm±1mm	3000	3435	21W	164	90
191109	Lenyk Slim TRK120/4000/21W/80/WB	1177x71x108mm±1mm	4000	3580	21W	171	90
191110	Lenyk Slim TRK120/5000/21W/80/WB	1177x71x108mm±1mm	5000	3675	21W	175	90
191111	Lenyk Slim TRK120/6500/21W/80/WB	1177x71x108mm±1mm	6500	3580	21W	171	90
191112	Lenyk Slim TRK120/3000/21W/80/DA	1177x71x108mm±1mm	3000	3420	21W	163	DA
191113	Lenyk Slim TRK120/4000/21W/80/DA	1177x71x108mm±1mm	4000	3565	21W	170	DA
191114	Lenyk Slim TRK120/5000/21W/80/DA	1177x71x108mm±1mm	5000	3660	21W	175	DA
191115	Lenyk Slim TRK120/6500/21W/80/DA	1177x71x108mm±1mm	6500	3565	21W	170	DA
191116	Lenyk Slim TRK120/3000/21W/80/SA	1177x71x108mm±1mm	3000	3280	21W	157	SA
191117	Lenyk Slim TRK120/4000/21W/80/SA	1177x71x108mm±1mm	4000	3415	21W	163	SA
191118	Lenyk Slim TRK120/5000/21W/80/SA	1177x71x108mm±1mm	5000	3510	21W	168	SA
191119	Lenyk Slim TRK120/6500/21W/80/SA	1177x71x108mm±1mm	6500	3415	21W	163	SA
191120	Lenyk Slim TRK120/3000/37W/80/TB	1177x71x108mm±1mm	3000	5615	37W	152	30
191121	Lenyk Slim TRK120/4000/37W/80/TB	1177x71x108mm±1mm	4000	5850	37W	159	30
191122	Lenyk Slim TRK120/5000/37W/80/TB	1177x71x108mm±1mm	5000	6010	37W	163	30
191123	Lenyk Slim TRK120/6500/37W/80/TB	1177x71x108mm±1mm	6500	5850	37W	159	30
191124	Lenyk Slim TRK120/3000/37W/80/NB	1177x71x108mm±1mm	3000	5575	37W	151	60
191125	Lenyk Slim TRK120/4000/37W/80/NB	1177x71x108mm±1mm	4000	5810	37W	158	60
191126	Lenyk Slim TRK120/5000/37W/80/NB	1177x71x108mm±1mm	5000	5965	37W	162	60
191127	Lenyk Slim TRK120/6500/37W/80/NB	1177x71x108mm±1mm	6500	5810	37W	158	60
191128	Lenyk Slim TRK120/3000/37W/80/WB	1177x71x108mm±1mm	3000	5600	37W	152	90
191129	Lenyk Slim TRK120/4000/37W/80/WB	1177x71x108mm±1mm	4000	5835	37W	158	90
191130	Lenyk Slim TRK120/5000/37W/80/WB	1177x71x108mm±1mm	5000	5995	37W	163	90
191131	Lenyk Slim TRK120/6500/37W/80/WB	1177x71x108mm±1mm	6500	5835	37W	158	90
191132	Lenyk Slim TRK120/3000/37W/80/DA	1177x71x108mm±1mm	3000	5575	37W	151	DA
191133	Lenyk Slim TRK120/4000/37W/80/DA	1177x71x108mm±1mm	4000	5810	37W	158	DA
191134	Lenyk Slim TRK120/5000/37W/80/DA	1177x71x108mm±1mm	5000	5965	37W	162	DA
191135	Lenyk Slim TRK120/6500/37W/80/DA	1177x71x108mm±1mm	6500	5810	37W	158	DA
191136	Lenyk Slim TRK120/3000/37W/80/SA	1177x71x108mm±1mm	3000	5345	37W	145	SA
191137	Lenyk Slim TRK120/4000/37W/80/SA	1177x71x108mm±1mm	4000	5570	37W	151	SA
191138	Lenyk Slim TRK120/5000/37W/80/SA	1177x71x108mm±1mm	5000	5720	37W	155	SA
191139	Lenyk Slim TRK120/6500/37W/80/SA	1177x71x108mm±1mm	6500	5570	37W	151	SA
191140	Lenyk Slim TRK120/3000/44W/80/TB	1177x71x108mm±1mm	3000	6525	44W	149	30
191141	Lenyk Slim TRK120/4000/44W/80/TB	1177x71x108mm±1mm	4000	6800	44W	155	30
191142	Lenyk Slim TRK120/5000/44W/80/TB	1177x71x108mm±1mm	5000	6985	44W	159	30
191143	Lenyk Slim TRK120/6500/44W/80/TB	1177x71x108mm±1mm	6500	6800	44W	155	30
191144	Lenyk Slim TRK120/3000/44W/80/NB	1177x71x108mm±1mm	3000	6480	44W	148	60
191145	Lenyk Slim TRK120/4000/44W/80/NB	1177x71x108mm±1mm	4000	6750	44W	154	60
191146	Lenyk Slim TRK120/5000/44W/80/NB	1177x71x108mm±1mm	5000	6935	44W	158	60
191147	Lenyk Slim TRK120/6500/44W/80/NB	1177x71x108mm±1mm	6500	6750	44W	154	60
191148	Lenyk Slim TRK120/3000/44W/80/WB	1177x71x108mm±1mm	3000	6505	44W	148	90
191149	Lenyk Slim TRK120/4000/44W/80/WB	1177x71x108mm±1mm	4000	6780	44W	155	90

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
<b>CRI 80</b>							
191150	Lenyk Slim TRK120/5000/44W/80/WB	1177x71x108mm±1mm	5000	6965	44W	159	90
191151	Lenyk Slim TRK120/6500/44W/80/WB	1177x71x108mm±1mm	6500	6780	44W	155	90
191152	Lenyk Slim TRK120/3000/44W/80/DA	1177x71x108mm±1mm	3000	6480	44W	148	DA
191153	Lenyk Slim TRK120/4000/44W/80/DA	1177x71x108mm±1mm	4000	6750	44W	154	DA
191154	Lenyk Slim TRK120/5000/44W/80/DA	1177x71x108mm±1mm	5000	6935	44W	158	DA
191155	Lenyk Slim TRK120/6500/44W/80/DA	1177x71x108mm±1mm	6500	6750	44W	154	DA
191156	Lenyk Slim TRK120/3000/44W/80/SA	1177x71x108mm±1mm	3000	6210	44W	142	SA
191157	Lenyk Slim TRK120/4000/44W/80/SA	1177x71x108mm±1mm	4000	6475	44W	148	SA
191158	Lenyk Slim TRK120/5000/44W/80/SA	1177x71x108mm±1mm	5000	6650	44W	152	SA
191159	Lenyk Slim TRK120/6500/44W/80/SA	1177x71x108mm±1mm	6500	6475	44W	148	SA
191160	Lenyk Slim TRK120/3000/50W/80/TB	1177x71x108mm±1mm	3000	8050	50W	161	30
191161	Lenyk Slim TRK120/4000/50W/80/TB	1177x71x108mm±1mm	4000	8390	50W	168	30
191162	Lenyk Slim TRK120/5000/50W/80/TB	1177x71x108mm±1mm	5000	8615	50W	173	30
191163	Lenyk Slim TRK120/6500/50W/80/TB	1177x71x108mm±1mm	6500	8390	50W	168	30
191164	Lenyk Slim TRK120/3000/50W/80/NB	1177x71x108mm±1mm	3000	7990	50W	160	60
191165	Lenyk Slim TRK120/4000/50W/80/NB	1177x71x108mm±1mm	4000	8330	50W	167	60
191166	Lenyk Slim TRK120/5000/50W/80/NB	1177x71x108mm±1mm	5000	8555	50W	172	60
191167	Lenyk Slim TRK120/6500/50W/80/NB	1177x71x108mm±1mm	6500	8330	50W	167	60
191168	Lenyk Slim TRK120/3000/50W/80/WB	1177x71x108mm±1mm	3000	8025	50W	161	90
191169	Lenyk Slim TRK120/4000/50W/80/WB	1177x71x108mm±1mm	4000	8365	50W	168	90
191170	Lenyk Slim TRK120/5000/50W/80/WB	1177x71x108mm±1mm	5000	8590	50W	172	90
191171	Lenyk Slim TRK120/6500/50W/80/WB	1177x71x108mm±1mm	6500	8365	50W	168	90
191172	Lenyk Slim TRK120/3000/50W/80/DA	1177x71x108mm±1mm	3000	7990	50W	160	DA
191173	Lenyk Slim TRK120/4000/50W/80/DA	1177x71x108mm±1mm	4000	8330	50W	167	DA
191174	Lenyk Slim TRK120/5000/50W/80/DA	1177x71x108mm±1mm	5000	8555	50W	172	DA
191175	Lenyk Slim TRK120/6500/50W/80/DA	1177x71x108mm±1mm	6500	8330	50W	167	DA
191176	Lenyk Slim TRK120/3000/50W/80/SA	1177x71x108mm±1mm	3000	7660	50W	154	SA
191177	Lenyk Slim TRK120/4000/50W/80/SA	1177x71x108mm±1mm	4000	7985	50W	160	SA
191178	Lenyk Slim TRK120/5000/50W/80/SA	1177x71x108mm±1mm	5000	8200	50W	164	SA
191179	Lenyk Slim TRK120/6500/50W/80/SA	1177x71x108mm±1mm	6500	7985	50W	160	SA
191180	Lenyk Slim TRK150/3000/26W/80/TB	1469x71x108mm±1mm	3000	4150	26W	160	30
191181	Lenyk Slim TRK150/4000/26W/80/TB	1469x71x108mm±1mm	4000	4325	26W	167	30
191182	Lenyk Slim TRK150/5000/26W/80/TB	1469x71x108mm±1mm	5000	4445	26W	171	30
191183	Lenyk Slim TRK150/6500/26W/80/TB	1469x71x108mm±1mm	6500	4325	26W	167	30
191184	Lenyk Slim TRK150/3000/26W/80/NB	1469x71x108mm±1mm	3000	4120	26W	159	60
191185	Lenyk Slim TRK150/4000/26W/80/NB	1469x71x108mm±1mm	4000	4295	26W	166	60
191186	Lenyk Slim TRK150/5000/26W/80/NB	1469x71x108mm±1mm	5000	4410	26W	170	60
191187	Lenyk Slim TRK150/6500/26W/80/NB	1469x71x108mm±1mm	6500	4295	26W	166	60
191188	Lenyk Slim TRK150/3000/26W/80/WB	1469x71x108mm±1mm	3000	4140	26W	160	90
191189	Lenyk Slim TRK150/4000/26W/80/WB	1469x71x108mm±1mm	4000	4315	26W	166	90
191190	Lenyk Slim TRK150/5000/26W/80/WB	1469x71x108mm±1mm	5000	4430	26W	171	90
191191	Lenyk Slim TRK150/6500/26W/80/WB	1469x71x108mm±1mm	6500	4315	26W	166	90
191192	Lenyk Slim TRK150/3000/26W/80/DA	1469x71x108mm±1mm	3000	4120	26W	159	DA
191193	Lenyk Slim TRK150/4000/26W/80/DA	1469x71x108mm±1mm	4000	4295	26W	166	DA
191194	Lenyk Slim TRK150/5000/26W/80/DA	1469x71x108mm±1mm	5000	4410	26W	170	DA
191195	Lenyk Slim TRK150/6500/26W/80/DA	1469x71x108mm±1mm	6500	4295	26W	166	DA
191196	Lenyk Slim TRK150/3000/26W/80/SA	1469x71x108mm±1mm	3000	3950	26W	152	SA
191197	Lenyk Slim TRK150/4000/26W/80/SA	1469x71x108mm±1mm	4000	4120	26W	159	SA
191198	Lenyk Slim TRK150/5000/26W/80/SA	1469x71x108mm±1mm	5000	4230	26W	163	SA
191199	Lenyk Slim TRK150/6500/26W/80/SA	1469x71x108mm±1mm	6500	4120	26W	159	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
<b>CRI 80</b>							
191200	Lenyk Slim TRK150/3000/35W/80/TB	1469x71x108mm±1mm	3000	5445	35W	156	30
191201	Lenyk Slim TRK150/4000/35W/80/TB	1469x71x108mm±1mm	4000	5680	35W	163	30
191202	Lenyk Slim TRK150/5000/35W/80/TB	1469x71x108mm±1mm	5000	5830	35W	167	30
191203	Lenyk Slim TRK150/6500/35W/80/TB	1469x71x108mm±1mm	6500	5680	35W	163	30
191204	Lenyk Slim TRK150/3000/35W/80/NB	1469x71x108mm±1mm	3000	5360	35W	154	60
191205	Lenyk Slim TRK150/4000/35W/80/NB	1469x71x108mm±1mm	4000	5585	35W	160	60
191206	Lenyk Slim TRK150/5000/35W/80/NB	1469x71x108mm±1mm	5000	5740	35W	164	60
191207	Lenyk Slim TRK150/6500/35W/80/NB	1469x71x108mm±1mm	6500	5585	35W	160	60
191208	Lenyk Slim TRK150/3000/35W/80/WB	1469x71x108mm±1mm	3000	5385	35W	154	90
191209	Lenyk Slim TRK150/4000/35W/80/WB	1469x71x108mm±1mm	4000	5610	35W	161	90
191210	Lenyk Slim TRK150/5000/35W/80/WB	1469x71x108mm±1mm	5000	5765	35W	165	90
191211	Lenyk Slim TRK150/6500/35W/80/WB	1469x71x108mm±1mm	6500	5610	35W	161	90
191212	Lenyk Slim TRK150/3000/35W/80/DA	1469x71x108mm±1mm	3000	5360	35W	154	DA
191213	Lenyk Slim TRK150/4000/35W/80/DA	1469x71x108mm±1mm	4000	5585	35W	160	DA
191214	Lenyk Slim TRK150/5000/35W/80/DA	1469x71x108mm±1mm	5000	5740	35W	164	DA
191215	Lenyk Slim TRK150/6500/35W/80/DA	1469x71x108mm±1mm	6500	5585	35W	160	DA
191216	Lenyk Slim TRK150/3000/35W/80/SA	1469x71x108mm±1mm	3000	5115	35W	147	SA
191217	Lenyk Slim TRK150/4000/35W/80/SA	1469x71x108mm±1mm	4000	5335	35W	153	SA
191218	Lenyk Slim TRK150/5000/35W/80/SA	1469x71x108mm±1mm	5000	5480	35W	157	SA
191219	Lenyk Slim TRK150/6500/35W/80/SA	1469x71x108mm±1mm	6500	5335	35W	153	SA
191220	Lenyk Slim TRK150/3000/45W/80/TB	1469x71x108mm±1mm	3000	6905	45W	154	30
191221	Lenyk Slim TRK150/4000/45W/80/TB	1469x71x108mm±1mm	4000	7195	45W	160	30
191222	Lenyk Slim TRK150/5000/45W/80/TB	1469x71x108mm±1mm	5000	7390	45W	165	30
191223	Lenyk Slim TRK150/6500/45W/80/TB	1469x71x108mm±1mm	6500	7195	45W	160	30
191224	Lenyk Slim TRK150/3000/45W/80/NB	1469x71x108mm±1mm	3000	6795	45W	151	60
191225	Lenyk Slim TRK150/4000/45W/80/NB	1469x71x108mm±1mm	4000	7080	45W	158	60
191226	Lenyk Slim TRK150/5000/45W/80/NB	1469x71x108mm±1mm	5000	7275	45W	162	60
191227	Lenyk Slim TRK150/6500/45W/80/NB	1469x71x108mm±1mm	6500	7080	45W	158	60
191228	Lenyk Slim TRK150/3000/45W/80/WB	1469x71x108mm±1mm	3000	6825	45W	152	90
191229	Lenyk Slim TRK150/4000/45W/80/WB	1469x71x108mm±1mm	4000	7115	45W	159	90
191230	Lenyk Slim TRK150/5000/45W/80/WB	1469x71x108mm±1mm	5000	7305	45W	163	90
191231	Lenyk Slim TRK150/6500/45W/80/WB	1469x71x108mm±1mm	6500	7115	45W	159	90
191232	Lenyk Slim TRK150/3000/45W/80/DA	1469x71x108mm±1mm	3000	6795	45W	151	DA
191233	Lenyk Slim TRK150/4000/45W/80/DA	1469x71x108mm±1mm	4000	7080	45W	158	DA
191234	Lenyk Slim TRK150/5000/45W/80/DA	1469x71x108mm±1mm	5000	7275	45W	162	DA
191235	Lenyk Slim TRK150/6500/45W/80/DA	1469x71x108mm±1mm	6500	7080	45W	158	DA
191236	Lenyk Slim TRK150/3000/45W/80/SA	1469x71x108mm±1mm	3000	6485	45W	145	SA
191237	Lenyk Slim TRK150/4000/45W/80/SA	1469x71x108mm±1mm	4000	6760	45W	151	SA
191238	Lenyk Slim TRK150/5000/45W/80/SA	1469x71x108mm±1mm	5000	6945	45W	155	SA
191239	Lenyk Slim TRK150/6500/45W/80/SA	1469x71x108mm±1mm	6500	6760	45W	151	SA
191240	Lenyk Slim TRK150/3000/53W/80/TB	1469x71x108mm±1mm	3000	7785	53W	147	30
191241	Lenyk Slim TRK150/4000/53W/80/TB	1469x71x108mm±1mm	4000	8115	53W	154	30
191242	Lenyk Slim TRK150/5000/53W/80/TB	1469x71x108mm±1mm	5000	8335	53W	158	30
191243	Lenyk Slim TRK150/6500/53W/80/TB	1469x71x108mm±1mm	6500	8115	53W	154	30
191244	Lenyk Slim TRK150/3000/53W/80/NB	1469x71x108mm±1mm	3000	7665	53W	145	60
191245	Lenyk Slim TRK150/4000/53W/80/NB	1469x71x108mm±1mm	4000	7985	53W	151	60
191246	Lenyk Slim TRK150/5000/53W/80/NB	1469x71x108mm±1mm	5000	8200	53W	155	60
191247	Lenyk Slim TRK150/6500/53W/80/NB	1469x71x108mm±1mm	6500	7985	53W	151	60
191248	Lenyk Slim TRK150/3000/53W/80/WB	1469x71x108mm±1mm	3000	7695	53W	146	90
191249	Lenyk Slim TRK150/4000/53W/80/WB	1469x71x108mm±1mm	4000	8020	53W	152	90



## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
<b>CRI 80</b>						
191250 Lenyk Slim TRK150/5000/53W/80/WB	1469x71x108mm±1mm	5000	8240	53W	156	90
191251 Lenyk Slim TRK150/6500/53W/80/WB	1469x71x108mm±1mm	6500	8020	53W	152	90
191252 Lenyk Slim TRK150/3000/53W/80/DA	1469x71x108mm±1mm	3000	7665	53W	145	DA
191253 Lenyk Slim TRK150/4000/53W/80/DA	1469x71x108mm±1mm	4000	7985	53W	151	DA
191254 Lenyk Slim TRK150/5000/53W/80/DA	1469x71x108mm±1mm	5000	8200	53W	155	DA
191255 Lenyk Slim TRK150/6500/53W/80/DA	1469x71x108mm±1mm	6500	7985	53W	151	DA
191256 Lenyk Slim TRK150/3000/53W/80/SA	1469x71x108mm±1mm	3000	7315	53W	139	SA
191257 Lenyk Slim TRK150/4000/53W/80/SA	1469x71x108mm±1mm	4000	7625	53W	144	SA
191258 Lenyk Slim TRK150/5000/53W/80/SA	1469x71x108mm±1mm	5000	7830	53W	148	SA
191259 Lenyk Slim TRK150/6500/53W/80/SA	1469x71x108mm±1mm	6500	7625	53W	144	SA
191260 Lenyk Slim TRK150/3000/62W/80/TB	1469x71x108mm±1mm	3000	9085	62W	147	30
191261 Lenyk Slim TRK150/4000/62W/80/TB	1469x71x108mm±1mm	4000	9470	62W	153	30
191262 Lenyk Slim TRK150/5000/62W/80/TB	1469x71x108mm±1mm	5000	9725	62W	157	30
191263 Lenyk Slim TRK150/6500/62W/80/TB	1469x71x108mm±1mm	6500	9470	62W	153	30
191264 Lenyk Slim TRK150/3000/62W/80/NB	1469x71x108mm±1mm	3000	9020	62W	146	60
191265 Lenyk Slim TRK150/4000/62W/80/NB	1469x71x108mm±1mm	4000	9400	62W	152	60
191266 Lenyk Slim TRK150/5000/62W/80/NB	1469x71x108mm±1mm	5000	9655	62W	156	60
191267 Lenyk Slim TRK150/6500/62W/80/NB	1469x71x108mm±1mm	6500	9400	62W	152	60
191268 Lenyk Slim TRK150/3000/62W/80/WB	1469x71x108mm±1mm	3000	9060	62W	147	90
191269 Lenyk Slim TRK150/4000/62W/80/WB	1469x71x108mm±1mm	4000	9440	62W	153	90
191270 Lenyk Slim TRK150/5000/62W/80/WB	1469x71x108mm±1mm	5000	9695	62W	157	90
191271 Lenyk Slim TRK150/6500/62W/80/WB	1469x71x108mm±1mm	6500	9440	62W	153	90
191272 Lenyk Slim TRK150/3000/62W/80/DA	1469x71x108mm±1mm	3000	9020	62W	146	DA
191273 Lenyk Slim TRK150/4000/62W/80/DA	1469x71x108mm±1mm	4000	9400	62W	152	DA
191274 Lenyk Slim TRK150/5000/62W/80/DA	1469x71x108mm±1mm	5000	9655	62W	156	DA
191275 Lenyk Slim TRK150/6500/62W/80/DA	1469x71x108mm±1mm	6500	9400	62W	152	DA
191276 Lenyk Slim TRK150/3000/62W/80/SA	1469x71x108mm±1mm	3000	8650	62W	140	SA
191277 Lenyk Slim TRK150/4000/62W/80/SA	1469x71x108mm±1mm	4000	9015	62W	146	SA
191278 Lenyk Slim TRK150/5000/62W/80/SA	1469x71x108mm±1mm	5000	9260	62W	150	SA
191279 Lenyk Slim TRK150/6500/62W/80/SA	1469x71x108mm±1mm	6500	9015	62W	146	SA