



Lenyk Slim TRK

TRACK LINEARS | ECO-DALI T SERIES

Lenyk Slim - as the name reveals, has a slimmer, more streamlined housing than Lenyk N. It boasts the same simple and double asymmetric lenses and high efficiency of the Lenyk family but, in addition, it also has a 30-cm version suitable for small enclosures which demand high illuminance.

Lenyk Slim TRK has several series, determined by various add-on and controls:


- Lenyk Slim TRK TEC: the standard for industrial, DIY and retail spaces
- [Lenyk Slim TRK ECO-DALI: with DALI dimming](#)

FEATURES & BENEFITS

- CRI \geq 80 as standard
- 4 color temperatures: 3000K, 4000K, 5000K and 6500K
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171 lm/w @4000K
- Wide range of lens angles: TB (30°), NB (60°), WB (90°), DA (Double Asymmetric), SA (Simple Asymmetric)

APPLICATION

Grocery & Supermarkets | Retail | Industrial & Logistics | DIY




SPECIFICATIONS

Power consumption	21W, 37W, 44W, 50W	26W, 35W, 45W, 53W, 62W
Dimensions	1177x71x108mm±1mm	1469x71x108mm±1mm
Weight	2.3 Kg	2.6 Kg
Housing materials	Aluminium, polycarbonate	
IK code	IK04	
THD (at 230V, 50Hz, Full load)	<9%	
Protection class	Safety class 1	
Operating temperature [°C]	-20 ... +45 °C / -4F ... +113F	
Operating humidity [%]	10 ÷ 85	
Power factor	≥0.95	
AC Input [Vac]	220 - 240 VAC	
Color temperature [K]	3000K, 4000K, 5000K, 6500K	
Lens angle [°]	30°, 60°, 90°, DA, SA	
Lifespan [h]	50,000	
Housing color	● Anodised Black, ● Anodised Grey	
Lumen maintenance	L90/B10@50,000h at 25°C	
IP factor	IP20	
Control optional	ECO-DALI	
Warranty [years]	5	
Storage temperature range [°C]	-20 ... +55 / -4F ... +113F	
Emergency option	-	

Light application	Standard
CRI	CRI 80
CCT [K]	3000K/4000K/5000K/6500K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



RISK GROUP**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for TEC | -/+ 10% for TEC & KIT EM | -/+ 10% for ECO-DALI | -/+ 15% for ECO-DALI & KIT EM

BATTERY WARRANTY

TEC EM & ECO EM: 12 months warranty

TEC & ECO: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

Power	Driver type	Control type	Circuit Breaker Type						
			Amperage	B			C		
				20	16	10	20	16	10
< 50W		TEC		37	30	18	62	51	31
≥ 50W		TEC		37	30	18	62	51	31
< 80W		ECO		27	21	13	45	35	21

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
CRI 80							
291100	Lenyk Slim TRK120/3000/21W/80/TB	1177x71x108mm±1mm	3000	3445	21W	165	30
291101	Lenyk Slim TRK120/4000/21W/80/TB	1177x71x108mm±1mm	4000	3590	21W	171	30
291102	Lenyk Slim TRK120/5000/21W/80/TB	1177x71x108mm±1mm	5000	3685	21W	176	30
291103	Lenyk Slim TRK120/6500/21W/80/TB	1177x71x108mm±1mm	6500	3590	21W	171	30
291104	Lenyk Slim TRK120/3000/21W/80/NB	1177x71x108mm±1mm	3000	3420	21W	163	60
291105	Lenyk Slim TRK120/4000/21W/80/NB	1177x71x108mm±1mm	4000	3565	21W	170	60
291106	Lenyk Slim TRK120/5000/21W/80/NB	1177x71x108mm±1mm	5000	3660	21W	175	60
291107	Lenyk Slim TRK120/6500/21W/80/NB	1177x71x108mm±1mm	6500	3565	21W	170	60
291108	Lenyk Slim TRK120/3000/21W/80/WB	1177x71x108mm±1mm	3000	3435	21W	164	90
291109	Lenyk Slim TRK120/4000/21W/80/WB	1177x71x108mm±1mm	4000	3580	21W	171	90
291110	Lenyk Slim TRK120/5000/21W/80/WB	1177x71x108mm±1mm	5000	3675	21W	175	90
291111	Lenyk Slim TRK120/6500/21W/80/WB	1177x71x108mm±1mm	6500	3580	21W	171	90
291112	Lenyk Slim TRK120/3000/21W/80/DA	1177x71x108mm±1mm	3000	3420	21W	163	DA
291113	Lenyk Slim TRK120/4000/21W/80/DA	1177x71x108mm±1mm	4000	3565	21W	170	DA
291114	Lenyk Slim TRK120/5000/21W/80/DA	1177x71x108mm±1mm	5000	3660	21W	175	DA
291115	Lenyk Slim TRK120/6500/21W/80/DA	1177x71x108mm±1mm	6500	3565	21W	170	DA
291116	Lenyk Slim TRK120/3000/21W/80/SA	1177x71x108mm±1mm	3000	3280	21W	157	SA
291117	Lenyk Slim TRK120/4000/21W/80/SA	1177x71x108mm±1mm	4000	3415	21W	163	SA
291118	Lenyk Slim TRK120/5000/21W/80/SA	1177x71x108mm±1mm	5000	3510	21W	168	SA
291119	Lenyk Slim TRK120/6500/21W/80/SA	1177x71x108mm±1mm	6500	3415	21W	163	SA
291120	Lenyk Slim TRK120/3000/37W/80/TB	1177x71x108mm±1mm	3000	5615	37W	152	30
291121	Lenyk Slim TRK120/4000/37W/80/TB	1177x71x108mm±1mm	4000	5850	37W	159	30
291122	Lenyk Slim TRK120/5000/37W/80/TB	1177x71x108mm±1mm	5000	6010	37W	163	30
291123	Lenyk Slim TRK120/6500/37W/80/TB	1177x71x108mm±1mm	6500	5850	37W	159	30
291124	Lenyk Slim TRK120/3000/37W/80/NB	1177x71x108mm±1mm	3000	5575	37W	151	60
291125	Lenyk Slim TRK120/4000/37W/80/NB	1177x71x108mm±1mm	4000	5810	37W	158	60
291126	Lenyk Slim TRK120/5000/37W/80/NB	1177x71x108mm±1mm	5000	5965	37W	162	60
291127	Lenyk Slim TRK120/6500/37W/80/NB	1177x71x108mm±1mm	6500	5810	37W	158	60
291128	Lenyk Slim TRK120/3000/37W/80/WB	1177x71x108mm±1mm	3000	5600	37W	152	90
291129	Lenyk Slim TRK120/4000/37W/80/WB	1177x71x108mm±1mm	4000	5835	37W	158	90
291130	Lenyk Slim TRK120/5000/37W/80/WB	1177x71x108mm±1mm	5000	5995	37W	163	90
291131	Lenyk Slim TRK120/6500/37W/80/WB	1177x71x108mm±1mm	6500	5835	37W	158	90
291132	Lenyk Slim TRK120/3000/37W/80/DA	1177x71x108mm±1mm	3000	5575	37W	151	DA
291133	Lenyk Slim TRK120/4000/37W/80/DA	1177x71x108mm±1mm	4000	5810	37W	158	DA
291134	Lenyk Slim TRK120/5000/37W/80/DA	1177x71x108mm±1mm	5000	5965	37W	162	DA
291135	Lenyk Slim TRK120/6500/37W/80/DA	1177x71x108mm±1mm	6500	5810	37W	158	DA
291136	Lenyk Slim TRK120/3000/37W/80/SA	1177x71x108mm±1mm	3000	5345	37W	145	SA
291137	Lenyk Slim TRK120/4000/37W/80/SA	1177x71x108mm±1mm	4000	5570	37W	151	SA
291138	Lenyk Slim TRK120/5000/37W/80/SA	1177x71x108mm±1mm	5000	5720	37W	155	SA
291139	Lenyk Slim TRK120/6500/37W/80/SA	1177x71x108mm±1mm	6500	5570	37W	151	SA
291140	Lenyk Slim TRK120/3000/44W/80/TB	1177x71x108mm±1mm	3000	6525	44W	149	30
291141	Lenyk Slim TRK120/4000/44W/80/TB	1177x71x108mm±1mm	4000	6800	44W	155	30
291142	Lenyk Slim TRK120/5000/44W/80/TB	1177x71x108mm±1mm	5000	6985	44W	159	30
291143	Lenyk Slim TRK120/6500/44W/80/TB	1177x71x108mm±1mm	6500	6800	44W	155	30
291144	Lenyk Slim TRK120/3000/44W/80/NB	1177x71x108mm±1mm	3000	6480	44W	148	60
291145	Lenyk Slim TRK120/4000/44W/80/NB	1177x71x108mm±1mm	4000	6750	44W	154	60
291146	Lenyk Slim TRK120/5000/44W/80/NB	1177x71x108mm±1mm	5000	6935	44W	158	60
291147	Lenyk Slim TRK120/6500/44W/80/NB	1177x71x108mm±1mm	6500	6750	44W	154	60
291148	Lenyk Slim TRK120/3000/44W/80/WB	1177x71x108mm±1mm	3000	6505	44W	148	90
291149	Lenyk Slim TRK120/4000/44W/80/WB	1177x71x108mm±1mm	4000	6780	44W	155	90

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
CRI 80							
291150	Lenyk Slim TRK120/5000/44W/80/WB	1177x71x108mm±1mm	5000	6965	44W	159	90
291151	Lenyk Slim TRK120/6500/44W/80/WB	1177x71x108mm±1mm	6500	6780	44W	155	90
291152	Lenyk Slim TRK120/3000/44W/80/DA	1177x71x108mm±1mm	3000	6480	44W	148	DA
291153	Lenyk Slim TRK120/4000/44W/80/DA	1177x71x108mm±1mm	4000	6750	44W	154	DA
291154	Lenyk Slim TRK120/5000/44W/80/DA	1177x71x108mm±1mm	5000	6935	44W	158	DA
291155	Lenyk Slim TRK120/6500/44W/80/DA	1177x71x108mm±1mm	6500	6750	44W	154	DA
291156	Lenyk Slim TRK120/3000/44W/80/SA	1177x71x108mm±1mm	3000	6210	44W	142	SA
291157	Lenyk Slim TRK120/4000/44W/80/SA	1177x71x108mm±1mm	4000	6475	44W	148	SA
291158	Lenyk Slim TRK120/5000/44W/80/SA	1177x71x108mm±1mm	5000	6650	44W	152	SA
291159	Lenyk Slim TRK120/6500/44W/80/SA	1177x71x108mm±1mm	6500	6475	44W	148	SA
291160	Lenyk Slim TRK120/3000/50W/80/TB	1177x71x108mm±1mm	3000	8050	50W	161	30
291161	Lenyk Slim TRK120/4000/50W/80/TB	1177x71x108mm±1mm	4000	8390	50W	168	30
291162	Lenyk Slim TRK120/5000/50W/80/TB	1177x71x108mm±1mm	5000	8615	50W	173	30
291163	Lenyk Slim TRK120/6500/50W/80/TB	1177x71x108mm±1mm	6500	8390	50W	168	30
291164	Lenyk Slim TRK120/3000/50W/80/NB	1177x71x108mm±1mm	3000	7990	50W	160	60
291165	Lenyk Slim TRK120/4000/50W/80/NB	1177x71x108mm±1mm	4000	8330	50W	167	60
291166	Lenyk Slim TRK120/5000/50W/80/NB	1177x71x108mm±1mm	5000	8555	50W	172	60
291167	Lenyk Slim TRK120/6500/50W/80/NB	1177x71x108mm±1mm	6500	8330	50W	167	60
291168	Lenyk Slim TRK120/3000/50W/80/WB	1177x71x108mm±1mm	3000	8025	50W	161	90
291169	Lenyk Slim TRK120/4000/50W/80/WB	1177x71x108mm±1mm	4000	8365	50W	168	90
291170	Lenyk Slim TRK120/5000/50W/80/WB	1177x71x108mm±1mm	5000	8590	50W	172	90
291171	Lenyk Slim TRK120/6500/50W/80/WB	1177x71x108mm±1mm	6500	8365	50W	168	90
291172	Lenyk Slim TRK120/3000/50W/80/DA	1177x71x108mm±1mm	3000	7990	50W	160	DA
291173	Lenyk Slim TRK120/4000/50W/80/DA	1177x71x108mm±1mm	4000	8330	50W	167	DA
291174	Lenyk Slim TRK120/5000/50W/80/DA	1177x71x108mm±1mm	5000	8555	50W	172	DA
291175	Lenyk Slim TRK120/6500/50W/80/DA	1177x71x108mm±1mm	6500	8330	50W	167	DA
291176	Lenyk Slim TRK120/3000/50W/80/SA	1177x71x108mm±1mm	3000	7660	50W	154	SA
291177	Lenyk Slim TRK120/4000/50W/80/SA	1177x71x108mm±1mm	4000	7985	50W	160	SA
291178	Lenyk Slim TRK120/5000/50W/80/SA	1177x71x108mm±1mm	5000	8200	50W	164	SA
291179	Lenyk Slim TRK120/6500/50W/80/SA	1177x71x108mm±1mm	6500	7985	50W	160	SA
291180	Lenyk Slim TRK150/3000/26W/80/TB	1469x71x108mm±1mm	3000	4150	26W	160	30
291181	Lenyk Slim TRK150/4000/26W/80/TB	1469x71x108mm±1mm	4000	4325	26W	167	30
291182	Lenyk Slim TRK150/5000/26W/80/TB	1469x71x108mm±1mm	5000	4445	26W	171	30
291183	Lenyk Slim TRK150/6500/26W/80/TB	1469x71x108mm±1mm	6500	4325	26W	167	30
291184	Lenyk Slim TRK150/3000/26W/80/NB	1469x71x108mm±1mm	3000	4120	26W	159	60
291185	Lenyk Slim TRK150/4000/26W/80/NB	1469x71x108mm±1mm	4000	4295	26W	166	60
291186	Lenyk Slim TRK150/5000/26W/80/NB	1469x71x108mm±1mm	5000	4410	26W	170	60
291187	Lenyk Slim TRK150/6500/26W/80/NB	1469x71x108mm±1mm	6500	4295	26W	166	60
291188	Lenyk Slim TRK150/3000/26W/80/WB	1469x71x108mm±1mm	3000	4140	26W	160	90
291189	Lenyk Slim TRK150/4000/26W/80/WB	1469x71x108mm±1mm	4000	4315	26W	166	90
291190	Lenyk Slim TRK150/5000/26W/80/WB	1469x71x108mm±1mm	5000	4430	26W	171	90
291191	Lenyk Slim TRK150/6500/26W/80/WB	1469x71x108mm±1mm	6500	4315	26W	166	90
291192	Lenyk Slim TRK150/3000/26W/80/DA	1469x71x108mm±1mm	3000	4120	26W	159	DA
291193	Lenyk Slim TRK150/4000/26W/80/DA	1469x71x108mm±1mm	4000	4295	26W	166	DA
291194	Lenyk Slim TRK150/5000/26W/80/DA	1469x71x108mm±1mm	5000	4410	26W	170	DA
291195	Lenyk Slim TRK150/6500/26W/80/DA	1469x71x108mm±1mm	6500	4295	26W	166	DA
291196	Lenyk Slim TRK150/3000/26W/80/SA	1469x71x108mm±1mm	3000	3950	26W	152	SA
291197	Lenyk Slim TRK150/4000/26W/80/SA	1469x71x108mm±1mm	4000	4120	26W	159	SA
291198	Lenyk Slim TRK150/5000/26W/80/SA	1469x71x108mm±1mm	5000	4230	26W	163	SA
291199	Lenyk Slim TRK150/6500/26W/80/SA	1469x71x108mm±1mm	6500	4120	26W	159	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)	
CRI 80							
291200	Lenyk Slim TRK150/3000/35W/80/TB	1469x71x108mm±1mm	3000	5445	35W	156	30
291201	Lenyk Slim TRK150/4000/35W/80/TB	1469x71x108mm±1mm	4000	5680	35W	163	30
291202	Lenyk Slim TRK150/5000/35W/80/TB	1469x71x108mm±1mm	5000	5830	35W	167	30
291203	Lenyk Slim TRK150/6500/35W/80/TB	1469x71x108mm±1mm	6500	5680	35W	163	30
291204	Lenyk Slim TRK150/3000/35W/80/NB	1469x71x108mm±1mm	3000	5360	35W	154	60
291205	Lenyk Slim TRK150/4000/35W/80/NB	1469x71x108mm±1mm	4000	5585	35W	160	60
291206	Lenyk Slim TRK150/5000/35W/80/NB	1469x71x108mm±1mm	5000	5740	35W	164	60
291207	Lenyk Slim TRK150/6500/35W/80/NB	1469x71x108mm±1mm	6500	5585	35W	160	60
291208	Lenyk Slim TRK150/3000/35W/80/WB	1469x71x108mm±1mm	3000	5385	35W	154	90
291209	Lenyk Slim TRK150/4000/35W/80/WB	1469x71x108mm±1mm	4000	5610	35W	161	90
291210	Lenyk Slim TRK150/5000/35W/80/WB	1469x71x108mm±1mm	5000	5765	35W	165	90
291211	Lenyk Slim TRK150/6500/35W/80/WB	1469x71x108mm±1mm	6500	5610	35W	161	90
291212	Lenyk Slim TRK150/3000/35W/80/DA	1469x71x108mm±1mm	3000	5360	35W	154	DA
291213	Lenyk Slim TRK150/4000/35W/80/DA	1469x71x108mm±1mm	4000	5585	35W	160	DA
291214	Lenyk Slim TRK150/5000/35W/80/DA	1469x71x108mm±1mm	5000	5740	35W	164	DA
291215	Lenyk Slim TRK150/6500/35W/80/DA	1469x71x108mm±1mm	6500	5585	35W	160	DA
291216	Lenyk Slim TRK150/3000/35W/80/SA	1469x71x108mm±1mm	3000	5115	35W	147	SA
291217	Lenyk Slim TRK150/4000/35W/80/SA	1469x71x108mm±1mm	4000	5335	35W	153	SA
291218	Lenyk Slim TRK150/5000/35W/80/SA	1469x71x108mm±1mm	5000	5480	35W	157	SA
291219	Lenyk Slim TRK150/6500/35W/80/SA	1469x71x108mm±1mm	6500	5335	35W	153	SA
291220	Lenyk Slim TRK150/3000/45W/80/TB	1469x71x108mm±1mm	3000	6905	45W	154	30
291221	Lenyk Slim TRK150/4000/45W/80/TB	1469x71x108mm±1mm	4000	7195	45W	160	30
291222	Lenyk Slim TRK150/5000/45W/80/TB	1469x71x108mm±1mm	5000	7390	45W	165	30
291223	Lenyk Slim TRK150/6500/45W/80/TB	1469x71x108mm±1mm	6500	7195	45W	160	30
291224	Lenyk Slim TRK150/3000/45W/80/NB	1469x71x108mm±1mm	3000	6795	45W	151	60
291225	Lenyk Slim TRK150/4000/45W/80/NB	1469x71x108mm±1mm	4000	7080	45W	158	60
291226	Lenyk Slim TRK150/5000/45W/80/NB	1469x71x108mm±1mm	5000	7275	45W	162	60
291227	Lenyk Slim TRK150/6500/45W/80/NB	1469x71x108mm±1mm	6500	7080	45W	158	60
291228	Lenyk Slim TRK150/3000/45W/80/WB	1469x71x108mm±1mm	3000	6825	45W	152	90
291229	Lenyk Slim TRK150/4000/45W/80/WB	1469x71x108mm±1mm	4000	7115	45W	159	90
291230	Lenyk Slim TRK150/5000/45W/80/WB	1469x71x108mm±1mm	5000	7305	45W	163	90
291231	Lenyk Slim TRK150/6500/45W/80/WB	1469x71x108mm±1mm	6500	7115	45W	159	90
291232	Lenyk Slim TRK150/3000/45W/80/DA	1469x71x108mm±1mm	3000	6795	45W	151	DA
291233	Lenyk Slim TRK150/4000/45W/80/DA	1469x71x108mm±1mm	4000	7080	45W	158	DA
291234	Lenyk Slim TRK150/5000/45W/80/DA	1469x71x108mm±1mm	5000	7275	45W	162	DA
291235	Lenyk Slim TRK150/6500/45W/80/DA	1469x71x108mm±1mm	6500	7080	45W	158	DA
291236	Lenyk Slim TRK150/3000/45W/80/SA	1469x71x108mm±1mm	3000	6485	45W	145	SA
291237	Lenyk Slim TRK150/4000/45W/80/SA	1469x71x108mm±1mm	4000	6760	45W	151	SA
291238	Lenyk Slim TRK150/5000/45W/80/SA	1469x71x108mm±1mm	5000	6945	45W	155	SA
291239	Lenyk Slim TRK150/6500/45W/80/SA	1469x71x108mm±1mm	6500	6760	45W	151	SA
291240	Lenyk Slim TRK150/3000/53W/80/TB	1469x71x108mm±1mm	3000	7785	53W	147	30
291241	Lenyk Slim TRK150/4000/53W/80/TB	1469x71x108mm±1mm	4000	8115	53W	154	30
291242	Lenyk Slim TRK150/5000/53W/80/TB	1469x71x108mm±1mm	5000	8335	53W	158	30
291243	Lenyk Slim TRK150/6500/53W/80/TB	1469x71x108mm±1mm	6500	8115	53W	154	30
291244	Lenyk Slim TRK150/3000/53W/80/NB	1469x71x108mm±1mm	3000	7665	53W	145	60
291245	Lenyk Slim TRK150/4000/53W/80/NB	1469x71x108mm±1mm	4000	7985	53W	151	60
291246	Lenyk Slim TRK150/5000/53W/80/NB	1469x71x108mm±1mm	5000	8200	53W	155	60
291247	Lenyk Slim TRK150/6500/53W/80/NB	1469x71x108mm±1mm	6500	7985	53W	151	60
291248	Lenyk Slim TRK150/3000/53W/80/WB	1469x71x108mm±1mm	3000	7695	53W	146	90
291249	Lenyk Slim TRK150/4000/53W/80/WB	1469x71x108mm±1mm	4000	8020	53W	152	90

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
291250 Lenyk Slim TRK150/5000/53W/80/WB	1469x71x108mm±1mm	5000	8240	53W	156	90
291251 Lenyk Slim TRK150/6500/53W/80/WB	1469x71x108mm±1mm	6500	8020	53W	152	90
291252 Lenyk Slim TRK150/3000/53W/80/DA	1469x71x108mm±1mm	3000	7665	53W	145	DA
291253 Lenyk Slim TRK150/4000/53W/80/DA	1469x71x108mm±1mm	4000	7985	53W	151	DA
291254 Lenyk Slim TRK150/5000/53W/80/DA	1469x71x108mm±1mm	5000	8200	53W	155	DA
291255 Lenyk Slim TRK150/6500/53W/80/DA	1469x71x108mm±1mm	6500	7985	53W	151	DA
291256 Lenyk Slim TRK150/3000/53W/80/SA	1469x71x108mm±1mm	3000	7315	53W	139	SA
291257 Lenyk Slim TRK150/4000/53W/80/SA	1469x71x108mm±1mm	4000	7625	53W	144	SA
291258 Lenyk Slim TRK150/5000/53W/80/SA	1469x71x108mm±1mm	5000	7830	53W	148	SA
291259 Lenyk Slim TRK150/6500/53W/80/SA	1469x71x108mm±1mm	6500	7625	53W	144	SA
291260 Lenyk Slim TRK150/3000/62W/80/TB	1469x71x108mm±1mm	3000	9085	62W	147	30
291261 Lenyk Slim TRK150/4000/62W/80/TB	1469x71x108mm±1mm	4000	9470	62W	153	30
291262 Lenyk Slim TRK150/5000/62W/80/TB	1469x71x108mm±1mm	5000	9725	62W	157	30
291263 Lenyk Slim TRK150/6500/62W/80/TB	1469x71x108mm±1mm	6500	9470	62W	153	30
291264 Lenyk Slim TRK150/3000/62W/80/NB	1469x71x108mm±1mm	3000	9020	62W	146	60
291265 Lenyk Slim TRK150/4000/62W/80/NB	1469x71x108mm±1mm	4000	9400	62W	152	60
291266 Lenyk Slim TRK150/5000/62W/80/NB	1469x71x108mm±1mm	5000	9655	62W	156	60
291267 Lenyk Slim TRK150/6500/62W/80/NB	1469x71x108mm±1mm	6500	9400	62W	152	60
291268 Lenyk Slim TRK150/3000/62W/80/WB	1469x71x108mm±1mm	3000	9060	62W	147	90
291269 Lenyk Slim TRK150/4000/62W/80/WB	1469x71x108mm±1mm	4000	9440	62W	153	90
291270 Lenyk Slim TRK150/5000/62W/80/WB	1469x71x108mm±1mm	5000	9695	62W	157	90
291271 Lenyk Slim TRK150/6500/62W/80/WB	1469x71x108mm±1mm	6500	9440	62W	153	90
291272 Lenyk Slim TRK150/3000/62W/80/DA	1469x71x108mm±1mm	3000	9020	62W	146	DA
291273 Lenyk Slim TRK150/4000/62W/80/DA	1469x71x108mm±1mm	4000	9400	62W	152	DA
291274 Lenyk Slim TRK150/5000/62W/80/DA	1469x71x108mm±1mm	5000	9655	62W	156	DA
291275 Lenyk Slim TRK150/6500/62W/80/DA	1469x71x108mm±1mm	6500	9400	62W	152	DA
291276 Lenyk Slim TRK150/3000/62W/80/SA	1469x71x108mm±1mm	3000	8650	62W	140	SA
291277 Lenyk Slim TRK150/4000/62W/80/SA	1469x71x108mm±1mm	4000	9015	62W	146	SA
291278 Lenyk Slim TRK150/5000/62W/80/SA	1469x71x108mm±1mm	5000	9260	62W	150	SA
291279 Lenyk Slim TRK150/6500/62W/80/SA	1469x71x108mm±1mm	6500	9015	62W	146	SA