



Ennio Individual Lens

SUSPENDED | DALI SERIES

Ennio Individual Lens is a versatile suspended luminaire that emits light both upwards and downwards. Providing indirect light on its superior side, Ennio creates a mellow ambient in the working space with reduced glare due to indirect lighting by projecting the light beam towards the ceiling.

Tunable white - Light color temperature can be adjusted to reflect the need or mood of the user. The light provided by the luminaires can be changed from warm to cold, in a range between 2700K - 6500K.

PI-LED - Combines variable white light and light of the RGB color system in one single light source. It can vary the color temperature between 2700K - 6500K along Planckian curve in the course of a day.

Ennio Individual Lens has several series, determined by various add-on and controls:



- Ennio Individual Lens Non-DALI: the standard version
- Ennio Individual Lens Non-DALI EM: the standard version with emergency option (UP)
- **Ennio Individual Lens DALI: with DALI controls for illumination adjustments**
- Ennio Individual Lens DALI EM: with DALI controls for illumination adjustments and emergency options (UP)
- Ennio Individual Lens TW: the tunable white system with adjustable colour temperature
- Ennio Individual Lens PI-LED - simulates the spectral quality of natural daylight over the entire day.

FEATURES & BENEFITS

- CRI 80 as standard
- Color temperatures: 3000K and 4000K
- Long rated life: L90/B10@50.000h
- Luminaire efficiency (UP/DOWN): 108/129 lm/w @4000K

APPLICATION

Office | Healthcare | Hospitality | DIY




SPECIFICATIONS

Power consumption (UP)	32W, 38W, 50W	37W, 50W, 60W	64W, 76W, 100W	74W, 100W, 120W
Power consumption (DOWN)	16W, 19W, 22W, 26W, 29W	19W, 23W, 28W, 32W, 36W	32W, 38W, 44W, 52W, 58W	38W, 46W, 56W, 64W, 72W
Dimensions	1214 x 57 x 81 ± 1mm	1501 x 57 x 81 ± 1mm	2362 x 57 x 81 ± 1mm	2936 x 57 x 81 ± 1mm
Weight	3.7 kg	4.5 kg	7.1 kg	8.5 kg
DALI addresses	2 addresses	2 addresses	3 addresses	3 addresses
Housing materials	Aluminum & Polycarbonate			
IK code	IK02			
THD (at 230V, 50Hz, Full load)	<9%			
Protection class	Safety class 1			
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F			
Operating humidity [%]	10 ÷ 85			
Power factor	≥0.95			
AC Input [Vac]	220 - 240 VAC			
Lens angle [°] (UP)	100°			
Lens angle [°] (DOWN)	15°, 21°, 28°, 46°, 57°			
Lifespan [h]	50,000			
Housing color	● Anodised black			
Lumen maintenance	L90/B10@50.000h at 25°C			
IP factor	IP20			
Control optional	DALI			
Warranty [years]	5			
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F			
Emergency option	-			
Efficiency@4000K (UP)	108 lm/W			
Efficiency@4000K (DOWN)	129 lm/W			

Light application	Standard
CRI	CRI 80
CCT [K]	3000K, 4000K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 1214 X 57 X 81 ± 1MM AND 1501 X 57 X 81 ± 1MM**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 100W	Non-DALI	19	15	9	31	26	16
≥ 100W	Non-DALI	19	15	9	31	26	16
< 160W	DALI	13	10	6	22	17	10

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 2362 X 57 X 81 ± 1MM AND 2936 X 57 X 81 ± 1MM

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	9	7	4	15	12	7
≥ 50W	Non-DALI	9	7	4	15	12	7
< 80W	DALI	6	5	3	11	8	5

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD >35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991000 Ennio S120/3000/32W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3190 / 1505	32W / 16W	100 / 95	100° / 15°
2991001 Ennio S120/3000/32W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 19W	100 / 97	100° / 15°
2991002 Ennio S120/3000/32W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3190 / 2180	32W / 22W	100 / 100	100° / 15°
2991003 Ennio S120/3000/32W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3190 / 2510	32W / 26W	100 / 97	100° / 15°
2991004 Ennio S120/3000/32W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3190 / 2830	32W / 29W	100 / 98	100° / 15°
2991005 Ennio S120/3000/38W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3810 / 1505	38W / 16W	101 / 95	100° / 15°
2991006 Ennio S120/3000/38W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 19W	101 / 97	100° / 15°
2991007 Ennio S120/3000/38W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3810 / 2180	38W / 22W	101 / 100	100° / 15°
2991008 Ennio S120/3000/38W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3810 / 2510	38W / 26W	101 / 97	100° / 15°
2991009 Ennio S120/3000/38W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	3810 / 2830	38W / 29W	101 / 98	100° / 15°
2991010 Ennio S120/3000/50W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	4620 / 1505	50W / 16W	93 / 95	100° / 15°
2991011 Ennio S120/3000/50W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 19W	93 / 97	100° / 15°
2991012 Ennio S120/3000/50W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	4620 / 2180	50W / 22W	93 / 100	100° / 15°
2991013 Ennio S120/3000/50W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	4620 / 2510	50W / 26W	93 / 97	100° / 15°
2991014 Ennio S120/3000/50W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	3000	4620 / 2830	50W / 29W	93 / 98	100° / 15°
2991015 Ennio S120/4000/32W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3325 / 1615	32W / 16W	104 / 101	100° / 15°
2991016 Ennio S120/4000/32W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3325 / 1980	32W / 19W	104 / 105	100° / 15°
2991017 Ennio S120/4000/32W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3325 / 2345	32W / 22W	104 / 107	100° / 15°
2991018 Ennio S120/4000/32W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3325 / 2700	32W / 26W	104 / 104	100° / 15°
2991019 Ennio S120/4000/32W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3325 / 3045	32W / 29W	104 / 105	100° / 15°
2991020 Ennio S120/4000/38W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3970 / 1615	38W / 16W	105 / 101	100° / 15°
2991021 Ennio S120/4000/38W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3970 / 1980	38W / 19W	105 / 105	100° / 15°
2991022 Ennio S120/4000/38W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3970 / 2345	38W / 22W	105 / 107	100° / 15°
2991023 Ennio S120/4000/38W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3970 / 2700	38W / 26W	105 / 104	100° / 15°
2991024 Ennio S120/4000/38W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	3970 / 3045	38W / 29W	105 / 105	100° / 15°
2991025 Ennio S120/4000/50W/16W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	4815 / 1615	50W / 16W	97 / 101	100° / 15°
2991026 Ennio S120/4000/50W/19W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	4815 / 1980	50W / 19W	97 / 105	100° / 15°
2991027 Ennio S120/4000/50W/22W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	4815 / 2345	50W / 22W	97 / 107	100° / 15°
2991028 Ennio S120/4000/50W/26W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	4815 / 2700	50W / 26W	97 / 104	100° / 15°
2991029 Ennio S120/4000/50W/29W/80/A100/A15	1214 x 57 x 81 ± 1mm	4000	4815 / 3045	50W / 29W	97 / 105	100° / 15°
2991030 Ennio S120/3000/32W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3190 / 1520	32W / 16W	100 / 95	100° / 21°
2991031 Ennio S120/3000/32W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3190 / 1860	32W / 19W	100 / 98	100° / 21°
2991032 Ennio S120/3000/32W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3190 / 2200	32W / 22W	100 / 100	100° / 21°
2991033 Ennio S120/3000/32W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3190 / 2535	32W / 26W	100 / 98	100° / 21°
2991034 Ennio S120/3000/32W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3190 / 2860	32W / 29W	100 / 99	100° / 21°
2991035 Ennio S120/3000/38W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3810 / 1520	38W / 16W	101 / 95	100° / 21°
2991036 Ennio S120/3000/38W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3810 / 1860	38W / 19W	101 / 98	100° / 21°
2991037 Ennio S120/3000/38W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3810 / 2200	38W / 22W	101 / 100	100° / 21°
2991038 Ennio S120/3000/38W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3810 / 2535	38W / 26W	101 / 98	100° / 21°
2991039 Ennio S120/3000/38W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	3810 / 2860	38W / 29W	101 / 99	100° / 21°
2991040 Ennio S120/3000/50W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	4620 / 1520	50W / 16W	93 / 95	100° / 21°
2991041 Ennio S120/3000/50W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	4620 / 1860	50W / 19W	93 / 98	100° / 21°
2991042 Ennio S120/3000/50W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	4620 / 2200	50W / 22W	93 / 100	100° / 21°
2991043 Ennio S120/3000/50W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	4620 / 2535	50W / 26W	93 / 98	100° / 21°
2991044 Ennio S120/3000/50W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	3000	4620 / 2860	50W / 29W	93 / 99	100° / 21°
2991045 Ennio S120/4000/32W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3325 / 1635	32W / 16W	104 / 103	100° / 21°
2991046 Ennio S120/4000/32W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3325 / 2000	32W / 19W	104 / 106	100° / 21°
2991047 Ennio S120/4000/32W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3325 / 2365	32W / 22W	104 / 108	100° / 21°
2991048 Ennio S120/4000/32W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3325 / 2725	32W / 26W	104 / 105	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991049 Ennio S120/4000/32W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3325 / 3075	32W / 29W	104 / 107	100° / 21°
2991050 Ennio S120/4000/38W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3970 / 1635	38W / 16W	105 / 103	100° / 21°
2991051 Ennio S120/4000/38W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3970 / 2000	38W / 19W	105 / 106	100° / 21°
2991052 Ennio S120/4000/38W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3970 / 2365	38W / 22W	105 / 108	100° / 21°
2991053 Ennio S120/4000/38W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3970 / 2725	38W / 26W	105 / 105	100° / 21°
2991054 Ennio S120/4000/38W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	3970 / 3075	38W / 29W	105 / 107	100° / 21°
2991055 Ennio S120/4000/50W/16W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	4815 / 1635	50W / 16W	97 / 103	100° / 21°
2991056 Ennio S120/4000/50W/19W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	4815 / 2000	50W / 19W	97 / 106	100° / 21°
2991057 Ennio S120/4000/50W/22W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	4815 / 2365	50W / 22W	97 / 108	100° / 21°
2991058 Ennio S120/4000/50W/26W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	4815 / 2725	50W / 26W	97 / 105	100° / 21°
2991059 Ennio S120/4000/50W/29W/80/A100/A21	1214 x 57 x 81 ± 1mm	4000	4815 / 3075	50W / 29W	97 / 107	100° / 21°
2991060 Ennio S120/3000/32W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3190 / 1460	32W / 16W	100 / 92	100° / 28°
2991061 Ennio S120/3000/32W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3190 / 1785	32W / 19W	100 / 94	100° / 28°
2991062 Ennio S120/3000/32W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3190 / 2115	32W / 22W	100 / 97	100° / 28°
2991063 Ennio S120/3000/32W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3190 / 2435	32W / 26W	100 / 94	100° / 28°
2991064 Ennio S120/3000/32W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3190 / 2750	32W / 29W	100 / 95	100° / 28°
2991065 Ennio S120/3000/38W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3810 / 1460	38W / 16W	101 / 92	100° / 28°
2991066 Ennio S120/3000/38W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3810 / 1785	38W / 19W	101 / 94	100° / 28°
2991067 Ennio S120/3000/38W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3810 / 2115	38W / 22W	101 / 97	100° / 28°
2991068 Ennio S120/3000/38W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3810 / 2435	38W / 26W	101 / 94	100° / 28°
2991069 Ennio S120/3000/38W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	3810 / 2750	38W / 29W	101 / 95	100° / 28°
2991070 Ennio S120/3000/50W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	4620 / 1460	50W / 16W	93 / 92	100° / 28°
2991071 Ennio S120/3000/50W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	4620 / 1785	50W / 19W	93 / 94	100° / 28°
2991072 Ennio S120/3000/50W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	4620 / 2115	50W / 22W	93 / 97	100° / 28°
2991073 Ennio S120/3000/50W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	4620 / 2435	50W / 26W	93 / 94	100° / 28°
2991074 Ennio S120/3000/50W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	3000	4620 / 2750	50W / 29W	93 / 95	100° / 28°
2991075 Ennio S120/4000/32W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3325 / 1570	32W / 16W	104 / 99	100° / 28°
2991076 Ennio S120/4000/32W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3325 / 1920	32W / 19W	104 / 102	100° / 28°
2991077 Ennio S120/4000/32W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3325 / 2275	32W / 22W	104 / 104	100° / 28°
2991078 Ennio S120/4000/32W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3325 / 2620	32W / 26W	104 / 101	100° / 28°
2991079 Ennio S120/4000/32W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 29W	104 / 102	100° / 28°
2991080 Ennio S120/4000/38W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3970 / 1570	38W / 16W	105 / 99	100° / 28°
2991081 Ennio S120/4000/38W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3970 / 1920	38W / 19W	105 / 102	100° / 28°
2991082 Ennio S120/4000/38W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3970 / 2275	38W / 22W	105 / 104	100° / 28°
2991083 Ennio S120/4000/38W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3970 / 2620	38W / 26W	105 / 101	100° / 28°
2991084 Ennio S120/4000/38W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 29W	105 / 102	100° / 28°
2991085 Ennio S120/4000/50W/16W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	4815 / 1570	50W / 16W	97 / 99	100° / 28°
2991086 Ennio S120/4000/50W/19W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	4815 / 1920	50W / 19W	97 / 102	100° / 28°
2991087 Ennio S120/4000/50W/22W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	4815 / 2275	50W / 22W	97 / 104	100° / 28°
2991088 Ennio S120/4000/50W/26W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	4815 / 2620	50W / 26W	97 / 101	100° / 28°
2991089 Ennio S120/4000/50W/29W/80/A100/A28	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 29W	97 / 102	100° / 28°
2991090 Ennio S120/3000/32W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3190 / 1490	32W / 16W	100 / 94	100° / 46°
2991091 Ennio S120/3000/32W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3190 / 1825	32W / 19W	100 / 97	100° / 46°
2991092 Ennio S120/3000/32W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3190 / 2160	32W / 22W	100 / 99	100° / 46°
2991093 Ennio S120/3000/32W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3190 / 2485	32W / 26W	100 / 96	100° / 46°
2991094 Ennio S120/3000/32W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3190 / 2805	32W / 29W	100 / 97	100° / 46°
2991095 Ennio S120/3000/38W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3810 / 1490	38W / 16W	101 / 94	100° / 46°
2991096 Ennio S120/3000/38W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3810 / 1825	38W / 19W	101 / 97	100° / 46°
2991097 Ennio S120/3000/38W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3810 / 2160	38W / 22W	101 / 99	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991098 Ennio S120/3000/38W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3810 / 2485	38W / 26W	101 / 96	100° / 46°
2991099 Ennio S120/3000/38W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	3810 / 2805	38W / 29W	101 / 97	100° / 46°
2991100 Ennio S120/3000/50W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	4620 / 1490	50W / 16W	93 / 94	100° / 46°
2991101 Ennio S120/3000/50W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	4620 / 1825	50W / 19W	93 / 97	100° / 46°
2991102 Ennio S120/3000/50W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	4620 / 2160	50W / 22W	93 / 99	100° / 46°
2991103 Ennio S120/3000/50W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	4620 / 2485	50W / 26W	93 / 96	100° / 46°
2991104 Ennio S120/3000/50W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	3000	4620 / 2805	50W / 29W	93 / 97	100° / 46°
2991105 Ennio S120/4000/32W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3325 / 1600	32W / 16W	104 / 100	100° / 46°
2991106 Ennio S120/4000/32W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3325 / 1960	32W / 19W	104 / 104	100° / 46°
2991107 Ennio S120/4000/32W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3325 / 2320	32W / 22W	104 / 106	100° / 46°
2991108 Ennio S120/4000/32W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3325 / 2670	32W / 26W	104 / 103	100° / 46°
2991109 Ennio S120/4000/32W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3325 / 3015	32W / 29W	104 / 104	100° / 46°
2991110 Ennio S120/4000/38W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3970 / 1600	38W / 16W	105 / 100	100° / 46°
2991111 Ennio S120/4000/38W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3970 / 1960	38W / 19W	105 / 104	100° / 46°
2991112 Ennio S120/4000/38W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3970 / 2320	38W / 22W	105 / 106	100° / 46°
2991113 Ennio S120/4000/38W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3970 / 2670	38W / 26W	105 / 103	100° / 46°
2991114 Ennio S120/4000/38W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	3970 / 3015	38W / 29W	105 / 104	100° / 46°
2991115 Ennio S120/4000/50W/16W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	4815 / 1600	50W / 16W	97 / 100	100° / 46°
2991116 Ennio S120/4000/50W/19W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	4815 / 1960	50W / 19W	97 / 104	100° / 46°
2991117 Ennio S120/4000/50W/22W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	4815 / 2320	50W / 22W	97 / 106	100° / 46°
2991118 Ennio S120/4000/50W/26W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	4815 / 2670	50W / 26W	97 / 103	100° / 46°
2991119 Ennio S120/4000/50W/29W/80/A100/A46	1214 x 57 x 81 ± 1mm	4000	4815 / 3015	50W / 29W	97 / 104	100° / 46°
2991120 Ennio S120/3000/32W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3190 / 1430	32W / 16W	100 / 90	100° / 57°
2991121 Ennio S120/3000/32W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3190 / 1750	32W / 19W	100 / 93	100° / 57°
2991122 Ennio S120/3000/32W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3190 / 2070	32W / 22W	100 / 95	100° / 57°
2991123 Ennio S120/3000/32W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3190 / 2385	32W / 26W	100 / 92	100° / 57°
2991124 Ennio S120/3000/32W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3190 / 2690	32W / 29W	100 / 93	100° / 57°
2991125 Ennio S120/3000/38W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3810 / 1430	38W / 16W	101 / 90	100° / 57°
2991126 Ennio S120/3000/38W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3810 / 1750	38W / 19W	101 / 93	100° / 57°
2991127 Ennio S120/3000/38W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3810 / 2070	38W / 22W	101 / 95	100° / 57°
2991128 Ennio S120/3000/38W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3810 / 2385	38W / 26W	101 / 92	100° / 57°
2991129 Ennio S120/3000/38W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	3810 / 2690	38W / 29W	101 / 93	100° / 57°
2991130 Ennio S120/3000/50W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	4620 / 1430	50W / 16W	93 / 90	100° / 57°
2991131 Ennio S120/3000/50W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	4620 / 1750	50W / 19W	93 / 93	100° / 57°
2991132 Ennio S120/3000/50W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	4620 / 2070	50W / 22W	93 / 95	100° / 57°
2991133 Ennio S120/3000/50W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	4620 / 2385	50W / 26W	93 / 92	100° / 57°
2991134 Ennio S120/3000/50W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	3000	4620 / 2690	50W / 29W	93 / 93	100° / 57°
2991135 Ennio S120/4000/32W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3325 / 1535	32W / 16W	104 / 96	100° / 57°
2991136 Ennio S120/4000/32W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 19W	104 / 99	100° / 57°
2991137 Ennio S120/4000/32W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3325 / 2230	32W / 22W	104 / 102	100° / 57°
2991138 Ennio S120/4000/32W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3325 / 2565	32W / 26W	104 / 99	100° / 57°
2991139 Ennio S120/4000/32W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3325 / 2895	32W / 29W	104 / 100	100° / 57°
2991140 Ennio S120/4000/38W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3970 / 1535	38W / 16W	105 / 96	100° / 57°
2991141 Ennio S120/4000/38W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 19W	105 / 99	100° / 57°
2991142 Ennio S120/4000/38W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3970 / 2230	38W / 22W	105 / 102	100° / 57°
2991143 Ennio S120/4000/38W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3970 / 2565	38W / 26W	105 / 99	100° / 57°
2991144 Ennio S120/4000/38W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	3970 / 2895	38W / 29W	105 / 100	100° / 57°
2991145 Ennio S120/4000/50W/16W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	4815 / 1535	50W / 16W	97 / 96	100° / 57°
2991146 Ennio S120/4000/50W/19W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 19W	97 / 99	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991147 Ennio S120/4000/50W/22W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	4815 / 2230	50W / 22W	97 / 102	100° / 57°
2991148 Ennio S120/4000/50W/26W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	4815 / 2565	50W / 26W	97 / 99	100° / 57°
2991149 Ennio S120/4000/50W/29W/80/A100/A57	1214 x 57 x 81 ± 1mm	4000	4815 / 2895	50W / 29W	97 / 100	100° / 57°
2991150 Ennio S150/3000/37W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	3810 / 1865	37W / 19W	103 / 99	100° / 15°
2991151 Ennio S150/3000/37W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	3810 / 2300	37W / 23W	103 / 100	100° / 15°
2991152 Ennio S150/3000/37W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	3810 / 2710	37W / 28W	103 / 97	100° / 15°
2991153 Ennio S150/3000/37W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	3810 / 3120	37W / 32W	103 / 98	100° / 15°
2991154 Ennio S150/3000/37W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	3810 / 3520	37W / 36W	103 / 98	100° / 15°
2991155 Ennio S150/3000/50W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5000 / 1865	50W / 19W	100 / 99	100° / 15°
2991156 Ennio S150/3000/50W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5000 / 2300	50W / 23W	100 / 100	100° / 15°
2991157 Ennio S150/3000/50W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5000 / 2710	50W / 28W	100 / 97	100° / 15°
2991158 Ennio S150/3000/50W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5000 / 3120	50W / 32W	100 / 98	100° / 15°
2991159 Ennio S150/3000/50W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5000 / 3520	50W / 36W	100 / 98	100° / 15°
2991160 Ennio S150/3000/60W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5750 / 1865	60W / 19W	96 / 99	100° / 15°
2991161 Ennio S150/3000/60W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5750 / 2300	60W / 23W	96 / 100	100° / 15°
2991162 Ennio S150/3000/60W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5750 / 2710	60W / 28W	96 / 97	100° / 15°
2991163 Ennio S150/3000/60W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5750 / 3120	60W / 32W	96 / 98	100° / 15°
2991164 Ennio S150/3000/60W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	3000	5750 / 3520	60W / 36W	96 / 98	100° / 15°
2991165 Ennio S150/4000/37W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	3970 / 2005	37W / 19W	108 / 106	100° / 15°
2991166 Ennio S150/4000/37W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	3970 / 2470	37W / 23W	108 / 108	100° / 15°
2991167 Ennio S150/4000/37W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	3970 / 2915	37W / 28W	108 / 105	100° / 15°
2991168 Ennio S150/4000/37W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	3970 / 3355	37W / 32W	108 / 105	100° / 15°
2991169 Ennio S150/4000/37W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	3970 / 3785	37W / 36W	108 / 106	100° / 15°
2991170 Ennio S150/4000/50W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5210 / 2005	50W / 19W	105 / 106	100° / 15°
2991171 Ennio S150/4000/50W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5210 / 2470	50W / 23W	105 / 108	100° / 15°
2991172 Ennio S150/4000/50W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5210 / 2915	50W / 28W	105 / 105	100° / 15°
2991173 Ennio S150/4000/50W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5210 / 3355	50W / 32W	105 / 105	100° / 15°
2991174 Ennio S150/4000/50W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5210 / 3785	50W / 36W	105 / 106	100° / 15°
2991175 Ennio S150/4000/60W/19W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5995 / 2005	60W / 19W	100 / 106	100° / 15°
2991176 Ennio S150/4000/60W/23W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5995 / 2470	60W / 23W	100 / 108	100° / 15°
2991177 Ennio S150/4000/60W/28W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5995 / 2915	60W / 28W	100 / 105	100° / 15°
2991178 Ennio S150/4000/60W/32W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5995 / 3355	60W / 32W	100 / 105	100° / 15°
2991179 Ennio S150/4000/60W/36W/80/A100/A15	1501 x 57 x 81 ± 1mm	4000	5995 / 3785	60W / 36W	100 / 106	100° / 15°
2991180 Ennio S150/3000/37W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	3810 / 1885	37W / 19W	103 / 100	100° / 21°
2991181 Ennio S150/3000/37W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	3810 / 2320	37W / 23W	103 / 101	100° / 21°
2991182 Ennio S150/3000/37W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	3810 / 2740	37W / 28W	103 / 98	100° / 21°
2991183 Ennio S150/3000/37W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	3810 / 3150	37W / 32W	103 / 99	100° / 21°
2991184 Ennio S150/3000/37W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	3810 / 3555	37W / 36W	103 / 99	100° / 21°
2991185 Ennio S150/3000/50W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5000 / 1885	50W / 19W	100 / 100	100° / 21°
2991186 Ennio S150/3000/50W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5000 / 2320	50W / 23W	100 / 101	100° / 21°
2991187 Ennio S150/3000/50W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5000 / 2740	50W / 28W	100 / 98	100° / 21°
2991188 Ennio S150/3000/50W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5000 / 3150	50W / 32W	100 / 99	100° / 21°
2991189 Ennio S150/3000/50W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5000 / 3555	50W / 36W	100 / 99	100° / 21°
2991190 Ennio S150/3000/60W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5750 / 1885	60W / 19W	96 / 100	100° / 21°
2991191 Ennio S150/3000/60W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5750 / 2320	60W / 23W	96 / 101	100° / 21°
2991192 Ennio S150/3000/60W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5750 / 2740	60W / 28W	96 / 98	100° / 21°
2991193 Ennio S150/3000/60W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5750 / 3150	60W / 32W	96 / 99	100° / 21°
2991194 Ennio S150/3000/60W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	3000	5750 / 3555	60W / 36W	96 / 99	100° / 21°
2991195 Ennio S150/4000/37W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	3970 / 2025	37W / 19W	108 / 107	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991196 Ennio S150/4000/37W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	3970 / 2495	37W / 23W	108 / 109	100° / 21°
2991197 Ennio S150/4000/37W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	3970 / 2945	37W / 28W	108 / 106	100° / 21°
2991198 Ennio S150/4000/37W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	3970 / 3390	37W / 32W	108 / 106	100° / 21°
2991199 Ennio S150/4000/37W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	3970 / 3825	37W / 36W	108 / 107	100° / 21°
2991200 Ennio S150/4000/50W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5210 / 2025	50W / 19W	105 / 107	100° / 21°
2991201 Ennio S150/4000/50W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5210 / 2495	50W / 23W	105 / 109	100° / 21°
2991202 Ennio S150/4000/50W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5210 / 2945	50W / 28W	105 / 106	100° / 21°
2991203 Ennio S150/4000/50W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5210 / 3390	50W / 32W	105 / 106	100° / 21°
2991204 Ennio S150/4000/50W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5210 / 3825	50W / 36W	105 / 107	100° / 21°
2991205 Ennio S150/4000/60W/19W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5995 / 2025	60W / 19W	100 / 107	100° / 21°
2991206 Ennio S150/4000/60W/23W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5995 / 2495	60W / 23W	100 / 109	100° / 21°
2991207 Ennio S150/4000/60W/28W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5995 / 2945	60W / 28W	100 / 106	100° / 21°
2991208 Ennio S150/4000/60W/32W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5995 / 3390	60W / 32W	100 / 106	100° / 21°
2991209 Ennio S150/4000/60W/36W/80/A100/A21	1501 x 57 x 81 ± 1mm	4000	5995 / 3825	60W / 36W	100 / 107	100° / 21°
2991210 Ennio S150/3000/37W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	3810 / 1810	37W / 19W	103 / 96	100° / 28°
2991211 Ennio S150/3000/37W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	3810 / 2230	37W / 23W	103 / 97	100° / 28°
2991212 Ennio S150/3000/37W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	3810 / 2630	37W / 28W	103 / 94	100° / 28°
2991213 Ennio S150/3000/37W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	3810 / 3025	37W / 32W	103 / 95	100° / 28°
2991214 Ennio S150/3000/37W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	3810 / 3415	37W / 36W	103 / 95	100° / 28°
2991215 Ennio S150/3000/50W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5000 / 1810	50W / 19W	100 / 96	100° / 28°
2991216 Ennio S150/3000/50W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5000 / 2230	50W / 23W	100 / 97	100° / 28°
2991217 Ennio S150/3000/50W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5000 / 2630	50W / 28W	100 / 94	100° / 28°
2991218 Ennio S150/3000/50W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5000 / 3025	50W / 32W	100 / 95	100° / 28°
2991219 Ennio S150/3000/50W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5000 / 3415	50W / 36W	100 / 95	100° / 28°
2991220 Ennio S150/3000/60W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5750 / 1810	60W / 19W	96 / 96	100° / 28°
2991221 Ennio S150/3000/60W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5750 / 2230	60W / 23W	96 / 97	100° / 28°
2991222 Ennio S150/3000/60W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5750 / 2630	60W / 28W	96 / 94	100° / 28°
2991223 Ennio S150/3000/60W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5750 / 3025	60W / 32W	96 / 95	100° / 28°
2991224 Ennio S150/3000/60W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	3000	5750 / 3415	60W / 36W	96 / 95	100° / 28°
2991225 Ennio S150/4000/37W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	3970 / 1945	37W / 19W	108 / 103	100° / 28°
2991226 Ennio S150/4000/37W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	3970 / 2400	37W / 23W	108 / 105	100° / 28°
2991227 Ennio S150/4000/37W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	3970 / 2830	37W / 28W	108 / 102	100° / 28°
2991228 Ennio S150/4000/37W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	3970 / 3255	37W / 32W	108 / 102	100° / 28°
2991229 Ennio S150/4000/37W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	3970 / 3675	37W / 36W	108 / 103	100° / 28°
2991230 Ennio S150/4000/50W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5210 / 1945	50W / 19W	105 / 103	100° / 28°
2991231 Ennio S150/4000/50W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5210 / 2400	50W / 23W	105 / 105	100° / 28°
2991232 Ennio S150/4000/50W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5210 / 2830	50W / 28W	105 / 102	100° / 28°
2991233 Ennio S150/4000/50W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5210 / 3255	50W / 32W	105 / 102	100° / 28°
2991234 Ennio S150/4000/50W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5210 / 3675	50W / 36W	105 / 103	100° / 28°
2991235 Ennio S150/4000/60W/19W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5995 / 1945	60W / 19W	100 / 103	100° / 28°
2991236 Ennio S150/4000/60W/23W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5995 / 2400	60W / 23W	100 / 105	100° / 28°
2991237 Ennio S150/4000/60W/28W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5995 / 2830	60W / 28W	100 / 102	100° / 28°
2991238 Ennio S150/4000/60W/32W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5995 / 3255	60W / 32W	100 / 102	100° / 28°
2991239 Ennio S150/4000/60W/36W/80/A100/A28	1501 x 57 x 81 ± 1mm	4000	5995 / 3675	60W / 36W	100 / 103	100° / 28°
2991240 Ennio S150/3000/37W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	3810 / 1845	37W / 19W	103 / 98	100° / 46°
2991241 Ennio S150/3000/37W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	3810 / 2275	37W / 23W	103 / 99	100° / 46°
2991242 Ennio S150/3000/37W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	3810 / 2685	37W / 28W	103 / 96	100° / 46°
2991243 Ennio S150/3000/37W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	3810 / 3090	37W / 32W	103 / 97	100° / 46°
2991244 Ennio S150/3000/37W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	3810 / 3485	37W / 36W	103 / 97	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991245 Ennio S150/3000/50W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5000 / 1845	50W / 19W	100 / 98	100° / 46°
2991246 Ennio S150/3000/50W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5000 / 2275	50W / 23W	100 / 99	100° / 46°
2991247 Ennio S150/3000/50W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5000 / 2685	50W / 28W	100 / 96	100° / 46°
2991248 Ennio S150/3000/50W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5000 / 3090	50W / 32W	100 / 97	100° / 46°
2991249 Ennio S150/3000/50W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5000 / 3485	50W / 36W	100 / 97	100° / 46°
2991250 Ennio S150/3000/60W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5750 / 1845	60W / 19W	96 / 98	100° / 46°
2991251 Ennio S150/3000/60W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5750 / 2275	60W / 23W	96 / 99	100° / 46°
2991252 Ennio S150/3000/60W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5750 / 2685	60W / 28W	96 / 96	100° / 46°
2991253 Ennio S150/3000/60W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5750 / 3090	60W / 32W	96 / 97	100° / 46°
2991254 Ennio S150/3000/60W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	3000	5750 / 3485	60W / 36W	96 / 97	100° / 46°
2991255 Ennio S150/4000/37W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	3970 / 1985	37W / 19W	108 / 105	100° / 46°
2991256 Ennio S150/4000/37W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	3970 / 2445	37W / 23W	108 / 107	100° / 46°
2991257 Ennio S150/4000/37W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	3970 / 2890	37W / 28W	108 / 104	100° / 46°
2991258 Ennio S150/4000/37W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	3970 / 3320	37W / 32W	108 / 104	100° / 46°
2991259 Ennio S150/4000/37W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	3970 / 3750	37W / 36W	108 / 105	100° / 46°
2991260 Ennio S150/4000/50W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5210 / 1985	50W / 19W	105 / 105	100° / 46°
2991261 Ennio S150/4000/50W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5210 / 2445	50W / 23W	105 / 107	100° / 46°
2991262 Ennio S150/4000/50W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5210 / 2890	50W / 28W	105 / 104	100° / 46°
2991263 Ennio S150/4000/50W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5210 / 3320	50W / 32W	105 / 104	100° / 46°
2991264 Ennio S150/4000/50W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5210 / 3750	50W / 36W	105 / 105	100° / 46°
2991265 Ennio S150/4000/60W/19W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5995 / 1985	60W / 19W	100 / 105	100° / 46°
2991266 Ennio S150/4000/60W/23W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5995 / 2445	60W / 23W	100 / 107	100° / 46°
2991267 Ennio S150/4000/60W/28W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5995 / 2890	60W / 28W	100 / 104	100° / 46°
2991268 Ennio S150/4000/60W/32W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5995 / 3320	60W / 32W	100 / 104	100° / 46°
2991269 Ennio S150/4000/60W/36W/80/A100/A46	1501 x 57 x 81 ± 1mm	4000	5995 / 3750	60W / 36W	100 / 105	100° / 46°
2991270 Ennio S150/3000/37W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	3810 / 1770	37W / 19W	103 / 94	100° / 57°
2991271 Ennio S150/3000/37W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	3810 / 2185	37W / 23W	103 / 95	100° / 57°
2991272 Ennio S150/3000/37W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	3810 / 2580	37W / 28W	103 / 93	100° / 57°
2991273 Ennio S150/3000/37W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 32W	103 / 93	100° / 57°
2991274 Ennio S150/3000/37W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	3810 / 3345	37W / 36W	103 / 93	100° / 57°
2991275 Ennio S150/3000/50W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5000 / 1770	50W / 19W	100 / 94	100° / 57°
2991276 Ennio S150/3000/50W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5000 / 2185	50W / 23W	100 / 95	100° / 57°
2991277 Ennio S150/3000/50W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5000 / 2580	50W / 28W	100 / 93	100° / 57°
2991278 Ennio S150/3000/50W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 32W	100 / 93	100° / 57°
2991279 Ennio S150/3000/50W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5000 / 3345	50W / 36W	100 / 93	100° / 57°
2991280 Ennio S150/3000/60W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5750 / 1770	60W / 19W	96 / 94	100° / 57°
2991281 Ennio S150/3000/60W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5750 / 2185	60W / 23W	96 / 95	100° / 57°
2991282 Ennio S150/3000/60W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5750 / 2580	60W / 28W	96 / 93	100° / 57°
2991283 Ennio S150/3000/60W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 32W	96 / 93	100° / 57°
2991284 Ennio S150/3000/60W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	3000	5750 / 3345	60W / 36W	96 / 93	100° / 57°
2991285 Ennio S150/4000/37W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	3970 / 1905	37W / 19W	108 / 101	100° / 57°
2991286 Ennio S150/4000/37W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	3970 / 2350	37W / 23W	108 / 103	100° / 57°
2991287 Ennio S150/4000/37W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	3970 / 2775	37W / 28W	108 / 100	100° / 57°
2991288 Ennio S150/4000/37W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	3970 / 3190	37W / 32W	108 / 100	100° / 57°
2991289 Ennio S150/4000/37W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	3970 / 3600	37W / 36W	108 / 100	100° / 57°
2991290 Ennio S150/4000/50W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5210 / 1905	50W / 19W	105 / 101	100° / 57°
2991291 Ennio S150/4000/50W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5210 / 2350	50W / 23W	105 / 103	100° / 57°
2991292 Ennio S150/4000/50W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5210 / 2775	50W / 28W	105 / 100	100° / 57°
2991293 Ennio S150/4000/50W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5210 / 3190	50W / 32W	105 / 100	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991294 Ennio S150/4000/50W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5210 / 3600	50W / 36W	105 / 100	100° / 57°
2991295 Ennio S150/4000/60W/19W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5995 / 1905	60W / 19W	100 / 101	100° / 57°
2991296 Ennio S150/4000/60W/23W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5995 / 2350	60W / 23W	100 / 103	100° / 57°
2991297 Ennio S150/4000/60W/28W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5995 / 2775	60W / 28W	100 / 100	100° / 57°
2991298 Ennio S150/4000/60W/32W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5995 / 3190	60W / 32W	100 / 100	100° / 57°
2991299 Ennio S150/4000/60W/36W/80/A100/A57	1501 x 57 x 81 ± 1mm	4000	5995 / 3600	60W / 36W	100 / 100	100° / 57°
2991300 Ennio S240/3000/64W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	6380 / 3010	64W / 32W	100 / 95	100° / 15°
2991301 Ennio S240/3000/64W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 38W	100 / 97	100° / 15°
2991302 Ennio S240/3000/64W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	6380 / 4360	64W / 44W	100 / 100	100° / 15°
2991303 Ennio S240/3000/64W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	6380 / 5020	64W / 52W	100 / 97	100° / 15°
2991304 Ennio S240/3000/64W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	6380 / 5660	64W / 58W	100 / 98	100° / 15°
2991305 Ennio S240/3000/76W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	7620 / 3010	76W / 32W	101 / 95	100° / 15°
2991306 Ennio S240/3000/76W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 38W	101 / 97	100° / 15°
2991307 Ennio S240/3000/76W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	7620 / 4360	76W / 44W	101 / 100	100° / 15°
2991308 Ennio S240/3000/76W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	7620 / 5020	76W / 52W	101 / 97	100° / 15°
2991309 Ennio S240/3000/76W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	7620 / 5660	76W / 58W	101 / 98	100° / 15°
2991310 Ennio S240/3000/100W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	9240 / 3010	100W / 32W	93 / 95	100° / 15°
2991311 Ennio S240/3000/100W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 38W	93 / 97	100° / 15°
2991312 Ennio S240/3000/100W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	9240 / 4360	100W / 44W	93 / 100	100° / 15°
2991313 Ennio S240/3000/100W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	9240 / 5020	100W / 52W	93 / 97	100° / 15°
2991314 Ennio S240/3000/100W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	3000	9240 / 5660	100W / 58W	93 / 98	100° / 15°
2991315 Ennio S240/4000/64W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	6650 / 3230	64W / 32W	104 / 101	100° / 15°
2991316 Ennio S240/4000/64W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	6650 / 3960	64W / 38W	104 / 105	100° / 15°
2991317 Ennio S240/4000/64W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	6650 / 4690	64W / 44W	104 / 107	100° / 15°
2991318 Ennio S240/4000/64W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	6650 / 5400	64W / 52W	104 / 104	100° / 15°
2991319 Ennio S240/4000/64W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	6650 / 6090	64W / 58W	104 / 105	100° / 15°
2991320 Ennio S240/4000/76W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	7940 / 3230	76W / 32W	105 / 101	100° / 15°
2991321 Ennio S240/4000/76W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	7940 / 3960	76W / 38W	105 / 105	100° / 15°
2991322 Ennio S240/4000/76W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	7940 / 4690	76W / 44W	105 / 107	100° / 15°
2991323 Ennio S240/4000/76W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	7940 / 5400	76W / 52W	105 / 104	100° / 15°
2991324 Ennio S240/4000/76W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	7940 / 6090	76W / 58W	105 / 105	100° / 15°
2991325 Ennio S240/4000/100W/32W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	9630 / 3230	100W / 32W	97 / 101	100° / 15°
2991326 Ennio S240/4000/100W/38W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	9630 / 3960	100W / 38W	97 / 105	100° / 15°
2991327 Ennio S240/4000/100W/44W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	9630 / 4690	100W / 44W	97 / 107	100° / 15°
2991328 Ennio S240/4000/100W/52W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	9630 / 5400	100W / 52W	97 / 104	100° / 15°
2991329 Ennio S240/4000/100W/58W/80/A100/A15	2362 x 57 x 81 ± 1mm	4000	9630 / 6090	100W / 58W	97 / 105	100° / 15°
2991330 Ennio S240/3000/64W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	6380 / 3040	64W / 32W	100 / 95	100° / 21°
2991331 Ennio S240/3000/64W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	6380 / 3720	64W / 38W	100 / 98	100° / 21°
2991332 Ennio S240/3000/64W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	6380 / 4400	64W / 44W	100 / 100	100° / 21°
2991333 Ennio S240/3000/64W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	6380 / 5070	64W / 52W	100 / 98	100° / 21°
2991334 Ennio S240/3000/64W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	6380 / 5720	64W / 58W	100 / 99	100° / 21°
2991335 Ennio S240/3000/76W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	7620 / 3040	76W / 32W	101 / 95	100° / 21°
2991336 Ennio S240/3000/76W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	7620 / 3720	76W / 38W	101 / 98	100° / 21°
2991337 Ennio S240/3000/76W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	7620 / 4400	76W / 44W	101 / 100	100° / 21°
2991338 Ennio S240/3000/76W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	7620 / 5070	76W / 52W	101 / 98	100° / 21°
2991339 Ennio S240/3000/76W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	7620 / 5720	76W / 58W	101 / 99	100° / 21°
2991340 Ennio S240/3000/100W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	9240 / 3040	100W / 32W	93 / 95	100° / 21°
2991341 Ennio S240/3000/100W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	9240 / 3720	100W / 38W	93 / 98	100° / 21°
2991342 Ennio S240/3000/100W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	9240 / 4400	100W / 44W	93 / 100	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991343 Ennio S240/3000/100W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	9240 / 5070	100W / 52W	93 / 98	100° / 21°
2991344 Ennio S240/3000/100W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	3000	9240 / 5720	100W / 58W	93 / 99	100° / 21°
2991345 Ennio S240/4000/64W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	6650 / 3270	64W / 32W	104 / 103	100° / 21°
2991346 Ennio S240/4000/64W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	6650 / 4000	64W / 38W	104 / 106	100° / 21°
2991347 Ennio S240/4000/64W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	6650 / 4730	64W / 44W	104 / 108	100° / 21°
2991348 Ennio S240/4000/64W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	6650 / 5450	64W / 52W	104 / 105	100° / 21°
2991349 Ennio S240/4000/64W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	6650 / 6150	64W / 58W	104 / 107	100° / 21°
2991350 Ennio S240/4000/76W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	7940 / 3270	76W / 32W	105 / 103	100° / 21°
2991351 Ennio S240/4000/76W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	7940 / 4000	76W / 38W	105 / 106	100° / 21°
2991352 Ennio S240/4000/76W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	7940 / 4730	76W / 44W	105 / 108	100° / 21°
2991353 Ennio S240/4000/76W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	7940 / 5450	76W / 52W	105 / 105	100° / 21°
2991354 Ennio S240/4000/76W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	7940 / 6150	76W / 58W	105 / 107	100° / 21°
2991355 Ennio S240/4000/100W/32W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	9630 / 3270	100W / 32W	97 / 103	100° / 21°
2991356 Ennio S240/4000/100W/38W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	9630 / 4000	100W / 38W	97 / 106	100° / 21°
2991357 Ennio S240/4000/100W/44W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	9630 / 4730	100W / 44W	97 / 108	100° / 21°
2991358 Ennio S240/4000/100W/52W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	9630 / 5450	100W / 52W	97 / 105	100° / 21°
2991359 Ennio S240/4000/100W/58W/80/A100/A21	2362 x 57 x 81 ± 1mm	4000	9630 / 6150	100W / 58W	97 / 107	100° / 21°
2991360 Ennio S240/3000/64W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	6380 / 2920	64W / 32W	100 / 92	100° / 28°
2991361 Ennio S240/3000/64W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	6380 / 3570	64W / 38W	100 / 94	100° / 28°
2991362 Ennio S240/3000/64W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	6380 / 4230	64W / 44W	100 / 97	100° / 28°
2991363 Ennio S240/3000/64W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	6380 / 4870	64W / 52W	100 / 94	100° / 28°
2991364 Ennio S240/3000/64W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	6380 / 5500	64W / 58W	100 / 95	100° / 28°
2991365 Ennio S240/3000/76W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	7620 / 2920	76W / 32W	101 / 92	100° / 28°
2991366 Ennio S240/3000/76W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	7620 / 3570	76W / 38W	101 / 94	100° / 28°
2991367 Ennio S240/3000/76W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	7620 / 4230	76W / 44W	101 / 97	100° / 28°
2991368 Ennio S240/3000/76W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	7620 / 4870	76W / 52W	101 / 94	100° / 28°
2991369 Ennio S240/3000/76W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	7620 / 5500	76W / 58W	101 / 95	100° / 28°
2991370 Ennio S240/3000/100W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	9240 / 2920	100W / 32W	93 / 92	100° / 28°
2991371 Ennio S240/3000/100W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	9240 / 3570	100W / 38W	93 / 94	100° / 28°
2991372 Ennio S240/3000/100W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	9240 / 4230	100W / 44W	93 / 97	100° / 28°
2991373 Ennio S240/3000/100W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	9240 / 4870	100W / 52W	93 / 94	100° / 28°
2991374 Ennio S240/3000/100W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	3000	9240 / 5500	100W / 58W	93 / 95	100° / 28°
2991375 Ennio S240/4000/64W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	6650 / 3140	64W / 32W	104 / 99	100° / 28°
2991376 Ennio S240/4000/64W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	6650 / 3840	64W / 38W	104 / 102	100° / 28°
2991377 Ennio S240/4000/64W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	6650 / 4550	64W / 44W	104 / 104	100° / 28°
2991378 Ennio S240/4000/64W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	6650 / 5240	64W / 52W	104 / 101	100° / 28°
2991379 Ennio S240/4000/64W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 58W	104 / 102	100° / 28°
2991380 Ennio S240/4000/76W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	7940 / 3140	76W / 32W	105 / 99	100° / 28°
2991381 Ennio S240/4000/76W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	7940 / 3840	76W / 38W	105 / 102	100° / 28°
2991382 Ennio S240/4000/76W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	7940 / 4550	76W / 44W	105 / 104	100° / 28°
2991383 Ennio S240/4000/76W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	7940 / 5240	76W / 52W	105 / 101	100° / 28°
2991384 Ennio S240/4000/76W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 58W	105 / 102	100° / 28°
2991385 Ennio S240/4000/100W/32W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	9630 / 3140	100W / 32W	97 / 99	100° / 28°
2991386 Ennio S240/4000/100W/38W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	9630 / 3840	100W / 38W	97 / 102	100° / 28°
2991387 Ennio S240/4000/100W/44W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	9630 / 4550	100W / 44W	97 / 104	100° / 28°
2991388 Ennio S240/4000/100W/52W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	9630 / 5240	100W / 52W	97 / 101	100° / 28°
2991389 Ennio S240/4000/100W/58W/80/A100/A28	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 58W	97 / 102	100° / 28°
2991390 Ennio S240/3000/64W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	6380 / 2980	64W / 32W	100 / 94	100° / 46°
2991391 Ennio S240/3000/64W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	6380 / 3650	64W / 38W	100 / 97	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991392 Ennio S240/3000/64W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	6380 / 4320	64W / 44W	100 / 99	100° / 46°
2991393 Ennio S240/3000/64W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	6380 / 4970	64W / 52W	100 / 96	100° / 46°
2991394 Ennio S240/3000/64W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	6380 / 5610	64W / 58W	100 / 97	100° / 46°
2991395 Ennio S240/3000/76W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	7620 / 2980	76W / 32W	101 / 94	100° / 46°
2991396 Ennio S240/3000/76W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	7620 / 3650	76W / 38W	101 / 97	100° / 46°
2991397 Ennio S240/3000/76W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	7620 / 4320	76W / 44W	101 / 99	100° / 46°
2991398 Ennio S240/3000/76W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	7620 / 4970	76W / 52W	101 / 96	100° / 46°
2991399 Ennio S240/3000/76W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	7620 / 5610	76W / 58W	101 / 97	100° / 46°
2991400 Ennio S240/3000/100W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	9240 / 2980	100W / 32W	93 / 94	100° / 46°
2991401 Ennio S240/3000/100W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	9240 / 3650	100W / 38W	93 / 97	100° / 46°
2991402 Ennio S240/3000/100W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	9240 / 4320	100W / 44W	93 / 99	100° / 46°
2991403 Ennio S240/3000/100W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	9240 / 4970	100W / 52W	93 / 96	100° / 46°
2991404 Ennio S240/3000/100W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	3000	9240 / 5610	100W / 58W	93 / 97	100° / 46°
2991405 Ennio S240/4000/64W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	6650 / 3200	64W / 32W	104 / 100	100° / 46°
2991406 Ennio S240/4000/64W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	6650 / 3920	64W / 38W	104 / 104	100° / 46°
2991407 Ennio S240/4000/64W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	6650 / 4640	64W / 44W	104 / 106	100° / 46°
2991408 Ennio S240/4000/64W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	6650 / 5340	64W / 52W	104 / 103	100° / 46°
2991409 Ennio S240/4000/64W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	6650 / 6030	64W / 58W	104 / 104	100° / 46°
2991410 Ennio S240/4000/76W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	7940 / 3200	76W / 32W	105 / 100	100° / 46°
2991411 Ennio S240/4000/76W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	7940 / 3920	76W / 38W	105 / 104	100° / 46°
2991412 Ennio S240/4000/76W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	7940 / 4640	76W / 44W	105 / 106	100° / 46°
2991413 Ennio S240/4000/76W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	7940 / 5340	76W / 52W	105 / 103	100° / 46°
2991414 Ennio S240/4000/76W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	7940 / 6030	76W / 58W	105 / 104	100° / 46°
2991415 Ennio S240/4000/100W/32W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	9630 / 3200	100W / 32W	97 / 100	100° / 46°
2991416 Ennio S240/4000/100W/38W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	9630 / 3920	100W / 38W	97 / 104	100° / 46°
2991417 Ennio S240/4000/100W/44W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	9630 / 4640	100W / 44W	97 / 106	100° / 46°
2991418 Ennio S240/4000/100W/52W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	9630 / 5340	100W / 52W	97 / 103	100° / 46°
2991419 Ennio S240/4000/100W/58W/80/A100/A46	2362 x 57 x 81 ± 1mm	4000	9630 / 6030	100W / 58W	97 / 104	100° / 46°
2991420 Ennio S240/3000/64W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	6380 / 2860	64W / 32W	100 / 90	100° / 57°
2991421 Ennio S240/3000/64W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	6380 / 3500	64W / 38W	100 / 93	100° / 57°
2991422 Ennio S240/3000/64W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	6380 / 4140	64W / 44W	100 / 95	100° / 57°
2991423 Ennio S240/3000/64W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	6380 / 4770	64W / 52W	100 / 92	100° / 57°
2991424 Ennio S240/3000/64W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	6380 / 5380	64W / 58W	100 / 93	100° / 57°
2991425 Ennio S240/3000/76W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	7620 / 2860	76W / 32W	101 / 90	100° / 57°
2991426 Ennio S240/3000/76W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	7620 / 3500	76W / 38W	101 / 93	100° / 57°
2991427 Ennio S240/3000/76W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	7620 / 4140	76W / 44W	101 / 95	100° / 57°
2991428 Ennio S240/3000/76W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	7620 / 4770	76W / 52W	101 / 92	100° / 57°
2991429 Ennio S240/3000/76W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	7620 / 5380	76W / 58W	101 / 93	100° / 57°
2991430 Ennio S240/3000/100W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	9240 / 2860	100W / 32W	93 / 90	100° / 57°
2991431 Ennio S240/3000/100W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	9240 / 3500	100W / 38W	93 / 93	100° / 57°
2991432 Ennio S240/3000/100W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	9240 / 4140	100W / 44W	93 / 95	100° / 57°
2991433 Ennio S240/3000/100W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	9240 / 4770	100W / 52W	93 / 92	100° / 57°
2991434 Ennio S240/3000/100W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	3000	9240 / 5380	100W / 58W	93 / 93	100° / 57°
2991435 Ennio S240/4000/64W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	6650 / 3070	64W / 32W	104 / 96	100° / 57°
2991436 Ennio S240/4000/64W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 38W	104 / 99	100° / 57°
2991437 Ennio S240/4000/64W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	6650 / 4460	64W / 44W	104 / 102	100° / 57°
2991438 Ennio S240/4000/64W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	6650 / 5130	64W / 52W	104 / 99	100° / 57°
2991439 Ennio S240/4000/64W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	6650 / 5790	64W / 58W	104 / 100	100° / 57°
2991440 Ennio S240/4000/76W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	7940 / 3070	76W / 32W	105 / 96	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991441 Ennio S240/4000/76W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 38W	105 / 99	100° / 57°
2991442 Ennio S240/4000/76W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	7940 / 4460	76W / 44W	105 / 102	100° / 57°
2991443 Ennio S240/4000/76W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	7940 / 5130	76W / 52W	105 / 99	100° / 57°
2991444 Ennio S240/4000/76W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	7940 / 5790	76W / 58W	105 / 100	100° / 57°
2991445 Ennio S240/4000/100W/32W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	9630 / 3070	100W / 32W	97 / 96	100° / 57°
2991446 Ennio S240/4000/100W/38W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 38W	97 / 99	100° / 57°
2991447 Ennio S240/4000/100W/44W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	9630 / 4460	100W / 44W	97 / 102	100° / 57°
2991448 Ennio S240/4000/100W/52W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	9630 / 5130	100W / 52W	97 / 99	100° / 57°
2991449 Ennio S240/4000/100W/58W/80/A100/A57	2362 x 57 x 81 ± 1mm	4000	9630 / 5790	100W / 58W	97 / 100	100° / 57°
2991450 Ennio S300/3000/74W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	7620 / 3730	74W / 38W	103 / 99	100° / 15°
2991451 Ennio S300/3000/74W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	7620 / 4600	74W / 46W	103 / 100	100° / 15°
2991452 Ennio S300/3000/74W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	7620 / 5420	74W / 56W	103 / 97	100° / 15°
2991453 Ennio S300/3000/74W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	7620 / 6240	74W / 64W	103 / 98	100° / 15°
2991454 Ennio S300/3000/74W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	7620 / 7040	74W / 72W	103 / 98	100° / 15°
2991455 Ennio S300/3000/100W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	10000 / 3730	100W / 38W	100 / 99	100° / 15°
2991456 Ennio S300/3000/100W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	10000 / 4600	100W / 46W	100 / 100	100° / 15°
2991457 Ennio S300/3000/100W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	10000 / 5420	100W / 56W	100 / 97	100° / 15°
2991458 Ennio S300/3000/100W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	10000 / 6240	100W / 64W	100 / 98	100° / 15°
2991459 Ennio S300/3000/100W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	10000 / 7040	100W / 72W	100 / 98	100° / 15°
2991460 Ennio S300/3000/120W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	11500 / 3730	120W / 38W	96 / 99	100° / 15°
2991461 Ennio S300/3000/120W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	11500 / 4600	120W / 46W	96 / 100	100° / 15°
2991462 Ennio S300/3000/120W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	11500 / 5420	120W / 56W	96 / 97	100° / 15°
2991463 Ennio S300/3000/120W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	11500 / 6240	120W / 64W	96 / 98	100° / 15°
2991464 Ennio S300/3000/120W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	3000	11500 / 7040	120W / 72W	96 / 98	100° / 15°
2991465 Ennio S300/4000/74W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	7940 / 4010	74W / 38W	108 / 106	100° / 15°
2991466 Ennio S300/4000/74W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	7940 / 4940	74W / 46W	108 / 108	100° / 15°
2991467 Ennio S300/4000/74W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	7940 / 5830	74W / 56W	108 / 105	100° / 15°
2991468 Ennio S300/4000/74W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	7940 / 6710	74W / 64W	108 / 105	100° / 15°
2991469 Ennio S300/4000/74W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	7940 / 7570	74W / 72W	108 / 106	100° / 15°
2991470 Ennio S300/4000/100W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	10420 / 4010	100W / 38W	105 / 106	100° / 15°
2991471 Ennio S300/4000/100W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	10420 / 4940	100W / 46W	105 / 108	100° / 15°
2991472 Ennio S300/4000/100W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	10420 / 5830	100W / 56W	105 / 105	100° / 15°
2991473 Ennio S300/4000/100W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	10420 / 6710	100W / 64W	105 / 105	100° / 15°
2991474 Ennio S300/4000/100W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	10420 / 7570	100W / 72W	105 / 106	100° / 15°
2991475 Ennio S300/4000/120W/38W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	11990 / 4010	120W / 38W	100 / 106	100° / 15°
2991476 Ennio S300/4000/120W/46W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	11990 / 4940	120W / 46W	100 / 108	100° / 15°
2991477 Ennio S300/4000/120W/56W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	11990 / 5830	120W / 56W	100 / 105	100° / 15°
2991478 Ennio S300/4000/120W/64W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	11990 / 6710	120W / 64W	100 / 105	100° / 15°
2991479 Ennio S300/4000/120W/72W/80/A100/A15	2936 x 57 x 81 ± 1mm	4000	11990 / 7570	120W / 72W	100 / 106	100° / 15°
2991480 Ennio S300/3000/74W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	7620 / 3770	74W / 38W	103 / 100	100° / 21°
2991481 Ennio S300/3000/74W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	7620 / 4640	74W / 46W	103 / 101	100° / 21°
2991482 Ennio S300/3000/74W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	7620 / 5480	74W / 56W	103 / 98	100° / 21°
2991483 Ennio S300/3000/74W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	7620 / 6300	74W / 64W	103 / 99	100° / 21°
2991484 Ennio S300/3000/74W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	7620 / 7110	74W / 72W	103 / 99	100° / 21°
2991485 Ennio S300/3000/100W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	10000 / 3770	100W / 38W	100 / 100	100° / 21°
2991486 Ennio S300/3000/100W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	10000 / 4640	100W / 46W	100 / 101	100° / 21°
2991487 Ennio S300/3000/100W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	10000 / 5480	100W / 56W	100 / 98	100° / 21°
2991488 Ennio S300/3000/100W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	10000 / 6300	100W / 64W	100 / 99	100° / 21°
2991489 Ennio S300/3000/100W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	10000 / 7110	100W / 72W	100 / 99	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991490 Ennio S300/3000/120W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	11500 / 3770	120W / 38W	96 / 100	100° / 21°
2991491 Ennio S300/3000/120W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	11500 / 4640	120W / 46W	96 / 101	100° / 21°
2991492 Ennio S300/3000/120W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	11500 / 5480	120W / 56W	96 / 98	100° / 21°
2991493 Ennio S300/3000/120W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	11500 / 6300	120W / 64W	96 / 99	100° / 21°
2991494 Ennio S300/3000/120W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	3000	11500 / 7110	120W / 72W	96 / 99	100° / 21°
2991495 Ennio S300/4000/74W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	7940 / 4050	74W / 38W	108 / 107	100° / 21°
2991496 Ennio S300/4000/74W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	7940 / 4990	74W / 46W	108 / 109	100° / 21°
2991497 Ennio S300/4000/74W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	7940 / 5890	74W / 56W	108 / 106	100° / 21°
2991498 Ennio S300/4000/74W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	7940 / 6780	74W / 64W	108 / 106	100° / 21°
2991499 Ennio S300/4000/74W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	7940 / 7650	74W / 72W	108 / 107	100° / 21°
2991500 Ennio S300/4000/100W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	10420 / 4050	100W / 38W	105 / 107	100° / 21°
2991501 Ennio S300/4000/100W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	10420 / 4990	100W / 46W	105 / 109	100° / 21°
2991502 Ennio S300/4000/100W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	10420 / 5890	100W / 56W	105 / 106	100° / 21°
2991503 Ennio S300/4000/100W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	10420 / 6780	100W / 64W	105 / 106	100° / 21°
2991504 Ennio S300/4000/100W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	10420 / 7650	100W / 72W	105 / 107	100° / 21°
2991505 Ennio S300/4000/120W/38W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	11990 / 4050	120W / 38W	100 / 107	100° / 21°
2991506 Ennio S300/4000/120W/46W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	11990 / 4990	120W / 46W	100 / 109	100° / 21°
2991507 Ennio S300/4000/120W/56W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	11990 / 5890	120W / 56W	100 / 106	100° / 21°
2991508 Ennio S300/4000/120W/64W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	11990 / 6780	120W / 64W	100 / 106	100° / 21°
2991509 Ennio S300/4000/120W/72W/80/A100/A21	2936 x 57 x 81 ± 1mm	4000	11990 / 7650	120W / 72W	100 / 107	100° / 21°
2991510 Ennio S300/3000/74W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	7620 / 3620	74W / 38W	103 / 96	100° / 28°
2991511 Ennio S300/3000/74W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	7620 / 4460	74W / 46W	103 / 97	100° / 28°
2991512 Ennio S300/3000/74W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	7620 / 5260	74W / 56W	103 / 94	100° / 28°
2991513 Ennio S300/3000/74W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	7620 / 6050	74W / 64W	103 / 95	100° / 28°
2991514 Ennio S300/3000/74W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	7620 / 6830	74W / 72W	103 / 95	100° / 28°
2991515 Ennio S300/3000/100W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	10000 / 3620	100W / 38W	100 / 96	100° / 28°
2991516 Ennio S300/3000/100W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	10000 / 4460	100W / 46W	100 / 97	100° / 28°
2991517 Ennio S300/3000/100W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	10000 / 5260	100W / 56W	100 / 94	100° / 28°
2991518 Ennio S300/3000/100W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	10000 / 6050	100W / 64W	100 / 95	100° / 28°
2991519 Ennio S300/3000/100W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	10000 / 6830	100W / 72W	100 / 95	100° / 28°
2991520 Ennio S300/3000/120W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	11500 / 3620	120W / 38W	96 / 96	100° / 28°
2991521 Ennio S300/3000/120W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	11500 / 4460	120W / 46W	96 / 97	100° / 28°
2991522 Ennio S300/3000/120W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	11500 / 5260	120W / 56W	96 / 94	100° / 28°
2991523 Ennio S300/3000/120W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	11500 / 6050	120W / 64W	96 / 95	100° / 28°
2991524 Ennio S300/3000/120W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	3000	11500 / 6830	120W / 72W	96 / 95	100° / 28°
2991525 Ennio S300/4000/74W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	7940 / 3890	74W / 38W	108 / 103	100° / 28°
2991526 Ennio S300/4000/74W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	7940 / 4800	74W / 46W	108 / 105	100° / 28°
2991527 Ennio S300/4000/74W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	7940 / 5660	74W / 56W	108 / 102	100° / 28°
2991528 Ennio S300/4000/74W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	7940 / 6510	74W / 64W	108 / 102	100° / 28°
2991529 Ennio S300/4000/74W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	7940 / 7350	74W / 72W	108 / 103	100° / 28°
2991530 Ennio S300/4000/100W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	10420 / 3890	100W / 38W	105 / 103	100° / 28°
2991531 Ennio S300/4000/100W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	10420 / 4800	100W / 46W	105 / 105	100° / 28°
2991532 Ennio S300/4000/100W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	10420 / 5660	100W / 56W	105 / 102	100° / 28°
2991533 Ennio S300/4000/100W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	10420 / 6510	100W / 64W	105 / 102	100° / 28°
2991534 Ennio S300/4000/100W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	10420 / 7350	100W / 72W	105 / 103	100° / 28°
2991535 Ennio S300/4000/120W/38W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	11990 / 3890	120W / 38W	100 / 103	100° / 28°
2991536 Ennio S300/4000/120W/46W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	11990 / 4800	120W / 46W	100 / 105	100° / 28°
2991537 Ennio S300/4000/120W/56W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	11990 / 5660	120W / 56W	100 / 102	100° / 28°
2991538 Ennio S300/4000/120W/64W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	11990 / 6510	120W / 64W	100 / 102	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991539 Ennio S300/4000/120W/72W/80/A100/A28	2936 x 57 x 81 ± 1mm	4000	11990 / 7350	120W / 72W	100 / 103	100° / 28°
2991540 Ennio S300/3000/74W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	7620 / 3690	74W / 38W	103 / 98	100° / 46°
2991541 Ennio S300/3000/74W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	7620 / 4550	74W / 46W	103 / 99	100° / 46°
2991542 Ennio S300/3000/74W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	7620 / 5370	74W / 56W	103 / 96	100° / 46°
2991543 Ennio S300/3000/74W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	7620 / 6180	74W / 64W	103 / 97	100° / 46°
2991544 Ennio S300/3000/74W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	7620 / 6970	74W / 72W	103 / 97	100° / 46°
2991545 Ennio S300/3000/100W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	10000 / 3690	100W / 38W	100 / 98	100° / 46°
2991546 Ennio S300/3000/100W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	10000 / 4550	100W / 46W	100 / 99	100° / 46°
2991547 Ennio S300/3000/100W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	10000 / 5370	100W / 56W	100 / 96	100° / 46°
2991548 Ennio S300/3000/100W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	10000 / 6180	100W / 64W	100 / 97	100° / 46°
2991549 Ennio S300/3000/100W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	10000 / 6970	100W / 72W	100 / 97	100° / 46°
2991550 Ennio S300/3000/120W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	11500 / 3690	120W / 38W	96 / 98	100° / 46°
2991551 Ennio S300/3000/120W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	11500 / 4550	120W / 46W	96 / 99	100° / 46°
2991552 Ennio S300/3000/120W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	11500 / 5370	120W / 56W	96 / 96	100° / 46°
2991553 Ennio S300/3000/120W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	11500 / 6180	120W / 64W	96 / 97	100° / 46°
2991554 Ennio S300/3000/120W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	3000	11500 / 6970	120W / 72W	96 / 97	100° / 46°
2991555 Ennio S300/4000/74W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	7940 / 3970	74W / 38W	108 / 105	100° / 46°
2991556 Ennio S300/4000/74W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	7940 / 4890	74W / 46W	108 / 107	100° / 46°
2991557 Ennio S300/4000/74W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	7940 / 5780	74W / 56W	108 / 104	100° / 46°
2991558 Ennio S300/4000/74W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	7940 / 6640	74W / 64W	108 / 104	100° / 46°
2991559 Ennio S300/4000/74W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	7940 / 7500	74W / 72W	108 / 105	100° / 46°
2991560 Ennio S300/4000/100W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	10420 / 3970	100W / 38W	105 / 105	100° / 46°
2991561 Ennio S300/4000/100W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	10420 / 4890	100W / 46W	105 / 107	100° / 46°
2991562 Ennio S300/4000/100W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	10420 / 5780	100W / 56W	105 / 104	100° / 46°
2991563 Ennio S300/4000/100W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	10420 / 6640	100W / 64W	105 / 104	100° / 46°
2991564 Ennio S300/4000/100W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	10420 / 7500	100W / 72W	105 / 105	100° / 46°
2991565 Ennio S300/4000/120W/38W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	11990 / 3970	120W / 38W	100 / 105	100° / 46°
2991566 Ennio S300/4000/120W/46W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	11990 / 4890	120W / 46W	100 / 107	100° / 46°
2991567 Ennio S300/4000/120W/56W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	11990 / 5780	120W / 56W	100 / 104	100° / 46°
2991568 Ennio S300/4000/120W/64W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	11990 / 6640	120W / 64W	100 / 104	100° / 46°
2991569 Ennio S300/4000/120W/72W/80/A100/A46	2936 x 57 x 81 ± 1mm	4000	11990 / 7500	120W / 72W	100 / 105	100° / 46°
2991570 Ennio S300/3000/74W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	7620 / 3540	74W / 38W	103 / 94	100° / 57°
2991571 Ennio S300/3000/74W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	7620 / 4370	74W / 46W	103 / 95	100° / 57°
2991572 Ennio S300/3000/74W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	7620 / 5160	74W / 56W	103 / 93	100° / 57°
2991573 Ennio S300/3000/74W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 64W	103 / 93	100° / 57°
2991574 Ennio S300/3000/74W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	7620 / 6690	74W / 72W	103 / 93	100° / 57°
2991575 Ennio S300/3000/100W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	10000 / 3540	100W / 38W	100 / 94	100° / 57°
2991576 Ennio S300/3000/100W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	10000 / 4370	100W / 46W	100 / 95	100° / 57°
2991577 Ennio S300/3000/100W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	10000 / 5160	100W / 56W	100 / 93	100° / 57°
2991578 Ennio S300/3000/100W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 64W	100 / 93	100° / 57°
2991579 Ennio S300/3000/100W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	10000 / 6690	100W / 72W	100 / 93	100° / 57°
2991580 Ennio S300/3000/120W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	11500 / 3540	120W / 38W	96 / 94	100° / 57°
2991581 Ennio S300/3000/120W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	11500 / 4370	120W / 46W	96 / 95	100° / 57°
2991582 Ennio S300/3000/120W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	11500 / 5160	120W / 56W	96 / 93	100° / 57°
2991583 Ennio S300/3000/120W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 64W	96 / 93	100° / 57°
2991584 Ennio S300/3000/120W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	3000	11500 / 6690	120W / 72W	96 / 93	100° / 57°
2991585 Ennio S300/4000/74W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	7940 / 3810	74W / 38W	108 / 101	100° / 57°
2991586 Ennio S300/4000/74W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	7940 / 4700	74W / 46W	108 / 103	100° / 57°
2991587 Ennio S300/4000/74W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	7940 / 5550	74W / 56W	108 / 100	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991588 Ennio S300/4000/74W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	7940 / 6380	74W / 64W	108 / 100	100° / 57°
2991589 Ennio S300/4000/74W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	7940 / 7200	74W / 72W	108 / 100	100° / 57°
2991590 Ennio S300/4000/100W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	10420 / 3810	100W / 38W	105 / 101	100° / 57°
2991591 Ennio S300/4000/100W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	10420 / 4700	100W / 46W	105 / 103	100° / 57°
2991592 Ennio S300/4000/100W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	10420 / 5550	100W / 56W	105 / 100	100° / 57°
2991593 Ennio S300/4000/100W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	10420 / 6380	100W / 64W	105 / 100	100° / 57°
2991594 Ennio S300/4000/100W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	10420 / 7200	100W / 72W	105 / 100	100° / 57°
2991595 Ennio S300/4000/120W/38W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	11990 / 3810	120W / 38W	100 / 101	100° / 57°
2991596 Ennio S300/4000/120W/46W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	11990 / 4700	120W / 46W	100 / 103	100° / 57°
2991597 Ennio S300/4000/120W/56W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	11990 / 5550	120W / 56W	100 / 100	100° / 57°
2991598 Ennio S300/4000/120W/64W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	11990 / 6380	120W / 64W	100 / 100	100° / 57°
2991599 Ennio S300/4000/120W/72W/80/A100/A57	2936 x 57 x 81 ± 1mm	4000	11990 / 7200	120W / 72W	100 / 100	100° / 57°

PRODUCT CUSTOMIZATION

This product has a great customization capability for combining CRI and CCT.

Below we presented possible CRI / CCT options:

UP	DOWN
2700 CRI80	2400K CRI80
3000 CRI80	2700K CRI80
4000 CRI80	3000K CRI80
5000 CRI80	4000K CRI80
6500 CRI80	2700K CRI90
TW	2700K CRI90
PI	3000K CRI90
	4000K CRI90
	2700K CRI95
	3000K CRI95
	3500K CRI95
	4000K CRI95

For more information please send us a message using the [contact form](#) on our website.